

1870.

NEW SOUTH WALES.

VITAL STATISTICS.

FOURTEENTH ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to both Houses of Parliament, by Command.



SYDNEY:

THOMAS RICHARDS, GOVERNMENT PRINTER, PHILLIP-STREET.

1870.

1869.

VITAL STATISTICS.

THE REGISTRAR GENERAL to THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS FOR THE YEAR 1869, AND PREFATORY REPORT.

Registrar General's Office,
Sydney, 5 August, 1870.

SIR,

I have the honor to transmit to you herewith the Annual Abstracts of the Returns of Marriages, Births, and Deaths registered in my department for the year 1869, accompanied by the usual Report on the results they exhibit, as well as their general bearing on the social condition and well-being of the community.

The names of 33,532 persons were added to the records during the year under review, swelling the aggregate number of registrations since the Act 19 Victoria No. 34 came into operation to 395,898, and presenting an accumulation of facts of incalculable value as affecting the interests of the people, whether regarded in their sanitary or legal aspect.

7,598 persons were united in wedlock.

19,243 births were recorded.

6,691 deaths were registered.

The marriages and births exceeded those of the preceding year by 63 and 758 respectively, while the mortality was less by 534.

It is a source of gratification to be able to pronounce, from close observation, that the registration system in this Colony is a great success. That its objects are fully appreciated is demonstrated by the repeated demands for the subdivision of existing districts, the formation of new ones to facilitate registration, and by the earnest desire evinced by the public to comply with the provisions of the Act and the Regulations framed under it.

The estimated population on the 31st December last was 485,330, viz., 271,004 males and 214,326 females,—an inequality of sexes which will probably attract the attention of the Legislature in their deliberations on the subject of immigration. This information is obtained by computing the excess of births over deaths, 12,552, the number of seaborne arrivals over departures, 6,039, and adding the population, as arrived at by the same method, on the last day of the year 1868; showing a net increase in the number, of 18,591 or 3·98 per cent. 19,756 persons landed in the Colony during 1869, 13,717 left its several ports.

Upon this basis of population the marriages were at the rate of 0·80 to every 100 living, the birth rate, and the deaths 1·41.

As compared with the year 1868, the marriage rate, in proportion to the growth of population, shows a falling off of 0·02 per cent.; the birth rate of 0·01; and the death rate of 0·14 per cent. The decrease in the number of deaths is a favourable feature in the returns, indicating that the public health was more satisfactory than in any year during the past decennial period, or since the opening of the registers in this department, in March 1856.

The

Further supervision necessary.

The recent changes in many of the district appointments render the more necessary the supervision suggested by me in my Report for 1866, as many of the most experienced Registrars who devoted a considerable portion of their time to this specific duty have been superseded by persons holding other offices, which precludes their giving that amount of attention to registration which is required to ensure accuracy. Complete registration being so essentially necessary in affording authenticated facts, serving to aid the efforts of those striving to obtain legal redress in disputed questions as to descent and right of accession to property, and in showing the fatal prevalence of certain classes of disease and the particular localities, and thus removing the impression, too general I believe, that registration results are a mere array of figures.

Subdivision of City into Registration Districts.

I would again recommend that a subdivision of the city be proclaimed, as proposed in my Report for 1865, page 7. My proposition, it will be seen on reference to the Report in question, was that the city should be subdivided into four sections, with a Registrar appointed to each, to be remunerated by fees on entries, upon the same scale as other District Officers. Although the change would involve an additional annual expenditure, the convenience to the citizens would be far better consulted by the facilities which these separate offices would afford, and would ensure the registration of many births which, judging from the comparatively small annual increase of births in the city, I am inclined to think pass unregistered. My predecessor stated on several occasions how very desirable such a change would be, and urged its adoption as a means of ensuring greater accuracy in registration.

Census arrangements.

The Legislature having assented to a measure authorizing an enumeration of the people, active steps are now being taken to carry out this national undertaking; the 2nd April next being the date fixed for ascertaining the extent and distribution of the population. I shall use every exertion to arrive at a successful result, by carefully superintending the arrangements. The completion of the Census will remove the difficulty which has long been felt in obtaining a reliable foundation upon which statements relating to the social condition can only be compiled. I availed myself of the opportunity afforded me last year, in referring to the proposed Census, to recommend that the Registration Districts should be assimilated to the Police Districts. This change being effected will tend to a saving of time and labour, and I trust shortly, with the sanction of the Government, to issue the necessary proclamations. Another subject to which on a previous occasion I solicited the action of the Government is an alteration in the Registration Act which I conceive would materially aid its working. During each year it is found that many hundreds of declarations are taken, which are rendered necessary by the neglect of the parents (whose duty it is) to register the births of their children within the period prescribed by law. The Imperial Registration Act 6 and 7 Will. IV, c. 86, provides for such omissions, and empowers the Registrar to demand a fee of 5s. as a penalty for every instance where such neglect is apparent. I propose therefore that a similar authority should be vested in the District Registrars in this Colony, imposing also a higher penalty for each year of neglect. I deem it also worthy of consideration whether it would not be reasonable and prudent to make provision for the payment of a small fee, say 1s., on the registration of any birth or death, such fees to be collected and accounted for by the District Registrars. By these means the charges of the department on the Revenue of the Colony would be materially lessened; and I believe that if a small fee as suggested were paid, the public would set a greater value upon the registration as a consideration for something for which they have paid; and the Government, as the custodian of their records, is I conceive reasonably entitled to some acknowledgment for the service rendered.

Abstract of Vital Statistics, 1869.

It may be useful to those who take an interest in statistics, to have placed before them in a condensed form the results of registration in each of the divisions of the Colony, during the year 1869. The districts included in each division are shown in Appendix B to this Report.

| | | Population, Census 1861. | Marriages. | Births. | Illegitimates. | Deaths. | Excess Births over Deaths. |
|-------------------------|------------------------|-----------------------------|--------------|---------------|----------------|--------------|-------------------------------|
| 1. | North-eastern Division | 51,378 | 479 | 2,954 | 93 | 724 | 2,230 |
| 2. | North-midland | 9,676 | 115 | 676 | 25 | 145 | 531 |
| 3. | North-western | 13,743 | 191 | 1,147 | 51 | 419 | 728 |
| 4. | Metropolitan | 93,686 | 1,556 | 5,364 | 241 | 2,442 | 2,922 |
| 5. | East-midland | 54,521 | 386 | 2,419 | 93 | 1,096 | 1,323 |
| 6. | West-midland | 40,563 | 353 | 2,178 | 97 | 644 | 1,534 |
| 7. | South-eastern | 23,375 | 175 | 1,267 | 28 | 238 | 1,029 |
| 8. | South-midland | 54,965 | 423 | 2,672 | 98 | 761 | 1,911 |
| 9. | South-western | 7,043 | 121 | 566 | 17 | 222 | 344 |
| GRAND TOTALS ... | | 348,950 | 3,799 | 19,243 | 743 | 6,691 | 12,552 |

The deaths in the district of Liverpool show an excess of 79 over the births, leaving the aggregate excess of births over deaths at 12,552.

Table A, which follows, shows separately the number of Marriages, Births, and Deaths registered in each Quarter of the year 1869, in Sydney, the Suburbs, and Country Districts.

A.

TABLE showing the Number of MARRIAGES, BIRTHS, and DEATHS registered in the Colony of New South Wales, during each Quarter of the Year 1869.

| Quarter ended— | Marriages. | Births. | | | Deaths. | | |
|---------------------------|------------|---------|----------|--------|---------|----------|--------|
| | | Males. | Females. | Total. | Males. | Females. | Total. |
| Sydney— | | | | | | | |
| 31st March | 332 | 338 | 299 | 637 | 202 | 169 | 371 |
| 30th June | 330 | 418 | 344 | 762 | 203 | 151 | 354 |
| 30th September | 299 | 425 | 357 | 782 | 211 | 166 | 377 |
| 31st December | 314 | 320 | 344 | 664 | 230 | 179 | 409 |
| TOTAL | 1,275 | 1,501 | 1,344 | 2,845 | 846 | 665 | 1,511 |
| Suburbs— | | | | | | | |
| 31st March | 91 | 310 | 271 | 581 | 118 | 122 | 240 |
| 30th June | 52 | 327 | 352 | 679 | 119 | 107 | 226 |
| 30th September | 64 | 326 | 289 | 615 | 127 | 93 | 220 |
| 31st December | 74 | 320 | 324 | 644 | 123 | 122 | 245 |
| TOTAL | 281 | 1,283 | 1,236 | 2,519 | 487 | 444 | 931 |
| Country Districts— | | | | | | | |
| 31st March | 574 | 1,681 | 1,617 | 3,298 | 719 | 497 | 1,216 |
| 30th June | 546 | 1,727 | 1,703 | 3,430 | 717 | 424 | 1,141 |
| 30th September | 572 | 1,906 | 1,773 | 3,679 | 595 | 345 | 940 |
| 31st December | 551 | 1,774 | 1,698 | 3,472 | 608 | 344 | 952 |
| TOTAL | 2,243 | 7,088 | 6,791 | 13,879 | 2,639 | 1,610 | 4,249 |
| New South Wales— | | | | | | | |
| 31st March | 997 | 2,329 | 2,187 | 4,516 | 1,039 | 788 | 1,827 |
| 30th June | 928 | 2,472 | 2,399 | 4,871 | 1,039 | 682 | 1,721 |
| 30th September | 935 | 2,657 | 2,419 | 5,076 | 933 | 604 | 1,537 |
| 31st December | 939 | 2,414 | 2,366 | 4,780 | 961 | 645 | 1,606 |
| TOTAL | 3,799 | 9,872 | 9,371 | 19,243 | 3,972 | 2,719 | 6,691 |

MARRIAGES.

The number of marriages celebrated in 1869 was 3,799, being 63 more than those entered upon the Comparison with previous years. registers in 1868, and 199 above the average of the preceding five years.

Of the marriages in 1869, there were performed,—

| | | | |
|-----------------|-------|--------------------|--------------------------|
| In Sydney | 1,275 | or 33·56 per cent. | Proportional percentage. |
| Suburbs | 281 | „ 7·40 „ | |
| Country | 2,243 | „ 59·04 „ | |
| Total | 3,799 | „ 100·00 „ | |

In proportion to population, the city gives a percentage of 1·71, the suburbs of 0·54, and the country of 0·64.

The annual rate per 1,000 for the whole Colony in each year is shown below, viz.:—

| 1864. | 1865. | 1866. | 1867. | 1868. | 1869. |
|-------|-------|-------|-------|-------|-------|
| 9·02 | 8·90 | 8·25 | 7·80 | 8·18 | 7·98 |

Ratio of marriages.

It will therefore be seen that, although a numerical increase of marriages is exhibited in the returns for 1869, the growth of population has tended to lower the rate.

The disproportion of the sexes is doubtless the chief cause operating to keep down the marriage rate, as also probably influenced by habits of convenience. I find it difficult to assign any other reason, although I am aware that in England, the prosperity or depression of trade, and the increase or decrease in the agricultural returns, acting upon the condition of the working classes, are causes which are readily accepted as governing matrimonial arrangements. This conclusion would not hold good in this Colony, as marriages have been found more numerous during years of unfavourable harvests and disastrous floods than during those of prosperous seasons.

The

Probable influences on marriage rate.

Marriages by the different Churches.
The marriages celebrated according to the ceremonies of the Churches of the several denominations, as well as those performed by District Registrars, compared with those of the previous year, were as follows, viz. :—

| | 1868. | 1869. | 1868. Per cent. | 1869. Per cent. | Increase per cent. | Decrease per cent. |
|---|--------------|--------------|--------------------|--------------------|-----------------------|-----------------------|
| Church of England | 1,024 | 1,018 | 27·41 | 26·79 | ... | 0·62 |
| Roman Catholic | 912 | 901 | 24·41 | 23·72 | ... | 0·69 |
| Presbyterian | 698 | 663 | 18·68 | 17·45 | ... | 1·23 |
| Wesleyan | 333 | 313 | 8·91 | 8·23 | ... | 0·68 |
| Congregationalist | 96 | 106 | 2·57 | 2·79 | 0·22 | ... |
| Primitive Methodist | 51 | 58 | 1·37 | 1·54 | 0·17 | ... |
| Baptist | 21 | 25 | 0·56 | 0·66 | 0·10 | ... |
| Hebrew | 13 | 13 | 0·35 | 0·34 | ... | 0·01 |
| Free Church of England | 350 | 446 | 9·37 | 11·74 | 2·37 | ... |
| Unitarian, German Evangelical, Christian Israelites, Christians, Latter Day Saints, and Free Gospel Churches | 5 | 13 | 0·13 | 0·34 | 0·21 | ... |
| Registrars' Offices | 233 | 243 | 6·24 | 6·40 | 0·16 | ... |
| Total | 3,736 | 3,799 | 100·00 | 100·00 | 3·23 | 3·23 |

From this table we gather that the number of marriages by the Church of England in 1869 stood the highest of any of the religious bodies; the Roman Catholic next, followed by the Presbyterian; the Free Church of England and Wesleyan Methodists; the largest increase being the Free Church of England, to be attributed probably to the inducements held out by those attached to this sect in marrying persons of all denominations and creeds—fees not being compulsory.

Marriages by District Registrars.
In 1869, of 243 marriages by the District Registrars, without the religious ceremony, there were—

| | | | | | |
|-----------|-----|-----|-----|-----|-----|
| In Sydney | ... | ... | ... | ... | 5 |
| Suburbs | ... | ... | ... | ... | 6 |
| Country | ... | ... | ... | ... | 232 |
| 243 | | | | | |

clearly indicating that where the ministration of a clergyman is easily obtainable, the marriages by civil contract are scarcely thought of. It is in the distant and thinly populated parts of the Colony chiefly that the District Registrars' services are called into request. In several instances of marriages by District Registrars it has been observed that subsequent celebration of the marriages by Ministers have been obtained.

Decennial Table of Marriages.
The Decennial Table gives the number of Marriages performed by each Denomination during the period.

B.

| DENOMINATION. | 1860. | 1861. | 1862. | 1863. | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. |
|------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Church of England | 879 | 1,021 | 921 | 842 | 868 | 886 | 856 | 832 | 1,024 | 1,018 |
| Roman Catholic | 714 | 783 | 824 | 836 | 945 | 934 | 873 | 881 | 912 | 901 |
| Presbyterian | 877 | 814 | 962 | 966 | 945 | 935 | 856 | 767 | 698 | 663 |
| Wesleyan | 192 | 244 | 219 | 234 | 278 | 349 | 349 | 303 | 333 | 313 |
| Primitive Methodist..... | 36 | 49 | 71 | 55 | 60 | 54 | 49 | 49 | 51 | 58 |
| Congregationalist | 41 | 62 | 69 | 100 | 95 | 97 | 90 | 100 | 96 | 106 |
| Baptist | 9 | 22 | 22 | 41 | 28 | 34 | 49 | 38 | 21 | 25 |
| Christian Israelite..... | 3 | 2 | | 1 | | 1 | 2 | | | |
| Unitarian | 3 | 4 | 2 | 4 | 1 | 4 | 1 | 2 | 2 | 4 |
| Hebrew | 10 | 8 | 12 | 14 | 10 | 11 | 13 | 9 | 13 | 13 |
| Latter Day Saints..... | | | | 1 | | | | | | |
| Free Church of England | | | | | 5 | 21 | 45 | 186 | 350 | 446 |
| German Evangelical..... | | | | | | | 1 | 3 | 2 | 2 |
| Christians | | | | | | | | | 1 | 6 |
| Free Gospel Church | | | | | | | | | | 1 |
| Registrars' Offices | 181 | 213 | 224 | 220 | 245 | 252 | 278 | 256 | 233 | 243 |
| TOTAL | 2,945 | 3,222 | 3,326 | 3,314 | 3,480 | 3,578 | 3,462 | 3,426 | 3,736 | 3,799 |

As regards the educational status of persons of each creed marrying in 1869, the figures below will convey a tolerably correct idea, the marriage registers being taken as the basis of comparison. It is satisfactory to note that the number affixing the mark signature shows a decrease on the returns for the preceding year; although a larger number of marriages took place. In a few years we shall be able to prove how much the "Public Schools Act" is doing to educate and enlighten the rising generation; and how far it is likely to be instrumental in gradually extinguishing that symbol of illiteracy, the mark signature, which at present so freely stains the records.

| | No. of Marriages. | Full Signatures. | Marks. | Marks per cent. |
|------------------------------|-------------------|------------------|--------|-----------------|
| Church of England | 1,018 | 1,730 | 306 | 15·02 |
| Roman Catholic | 901 | 1,290 | 512 | 28·41 |
| Presbyterian | 663 | 1,132 | 194 | 14·63 |
| Wesleyan | 313 | 548 | 78 | 12·46 |
| Primitive Methodist | 58 | 100 | 16 | 13·79 |
| Congregationalist | 106 | 187 | 25 | 11·79 |
| Baptist | 25 | 46 | 4 | 8·00 |
| Unitarian | 4 | 8 | | |
| Hebrew | 13 | 26 | | |
| Free Church of England | 446 | 732 | 160 | 17·94 |
| German Evangelical..... | 2 | 4 | | |
| Christians | 6 | 12 | | |
| Free Gospel Church | 1 | 1 | 1 | 50·00 |
| Registrars' Offices | 243 | 324 | 162 | 33·33 |
| TOTAL..... | 3,799 | 6,140 | 1,458 | 19·18 |

Taking the three divisions of the Colony, the following results are brought out:—

| | No. of Marriages. | Full Signatures. | | | Marks. | | | Marks per cent. |
|---------------|-------------------|------------------|----------|--------|--------|----------|--------|-----------------|
| | | Males. | Females. | Total. | Males. | Females. | Total. | |
| Sydney | 1,275 | 1,141 | 1,013 | 2,154 | 134 | 262 | 396 | 15·53 |
| Suburbs | 281 | 250 | 239 | 489 | 31 | 42 | 73 | 12·99 |
| Country | 2,243 | 1,835 | 1,662 | 3,497 | 408 | 581 | 989 | 22·05 |
| TOTAL..... | 3,799 | 3,226 | 2,914 | 6,140 | 573 | 885 | 1,458 | 19·18 |

showing also, that in dealing with the aggregates, 80·82 per cent. of persons united in the bond of wedlock during the year 1869 possessed at least the elementary art of writing, while probably many of those who affixed their marks (especially the brides), were induced from nervousness or a want of confidence in their ability to adopt this easier mode of signifying their assent to the ceremony.

Much correspondence has arisen with persons applying to be enrolled as Ministers qualified to celebrate Marriages. There are several points to be determined previous to such requests being entertained:—The amount and character of the evidence to prove that the applicant has been duly ordained or recognized as "an officiating Minister"; further, the number which should be regarded as constituting a "congregation" within the meaning of the Act, unless indeed the application be made by the head of the Church or Denomination to which the person referred to may belong; and as to the permanency of the place of worship in which the applicant officiates. At present any one addressing an assemblage on religious subjects in a stated abode may so construe the law as to deem himself eligible to be invested with this authority, although his occupation may have no certainty of continuance. In such cases should the concession be once made, it would be difficult to remove the name from the register unless under especial considerations, while the evil which might be occasioned by an indiscriminate distribution of this power will be apparent. I earnestly trust that in amending the Marriage Act this with other equally important matters influencing society may be set at rest. The draft of a proposed amended Marriage Bill was appended to my Report for 1867, having for its object the checking of clandestine marriages as well as for statistical purposes.

Table C at foot gives the number of Marriages for each Quarter during the ten years ended 1869, distinguishing those which were celebrated in Sydney, the Suburbs, and County Districts, with the ratio on population estimated at the middle of the year.

C.

TABLE showing the number of MARRIAGES registered in the Colony of New South Wales, during each Quarter of the Years 1860 to 1869.

| | Estimated Population at the middle of the Year. | 31 March. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. | |
|-------------------------|---|-----------|----------|----------|---------|--------|-------------------------|-------|
| Sydney | 1860 | 55,910 | 247 | 216 | 221 | 228 | 912 | 16·31 |
| | 1861 | 56,532 | 201 | 246 | 223 | 224 | 894 | 15·81 |
| | 1862 | 57,151 | 248 | 238 | 268 | 229 | 983 | 17·20 |
| | 1863 | 57,997 | 251 | 267 | 282 | 265 | 1,065 | 18·36 |
| | 1864 | 60,299 | 277 | 279 | 263 | 278 | 1,097 | 18·19 |
| | 1865 | 62,841 | 272 | 295 | 274 | 256 | 1,097 | 17·45 |
| | 1866 | 65,580 | 269 | 277 | 254 | 242 | 1,042 | 15·88 |
| | 1867 | 68,587 | 294 | 277 | 260 | 246 | 1,077 | 15·70 |
| | 1868 | 71,310 | 304 | 321 | 281 | 286 | 1,192 | 16·71 |
| | 1869 | 74,310 | 332 | 330 | 299 | 314 | 1,275 | 17·15 |
| TOTAL..... | | | 2,695 | 2,746 | 2,625 | 2,568 | 10,634 | |
| Suburbs | 1860 | 35,345 | 41 | 46 | 46 | 54 | 187 | 5·29 |
| | 1861 | 37,300 | 39 | 50 | 48 | 61 | 198 | 5·31 |
| | 1862 | 39,575 | 52 | 50 | 63 | 49 | 214 | 5·40 |
| | 1863 | 40,106 | 54 | 38 | 37 | 46 | 175 | 4·36 |
| | 1864 | 41,698 | 50 | 48 | 49 | 47 | 194 | 4·65 |
| | 1865 | 43,456 | 68 | 47 | 51 | 63 | 229 | 5·27 |
| | 1866 | 45,350 | 46 | 55 | 55 | 56 | 212 | 4·67 |
| | 1867 | 47,429 | 61 | 50 | 71 | 75 | 257 | 5·42 |
| | 1868 | 49,313 | 68 | 72 | 61 | 52 | 253 | 5·13 |
| | 1869 | 51,387 | 91 | 52 | 64 | 74 | 281 | 5·46 |
| TOTAL..... | | | 570 | 508 | 545 | 577 | 2,200 | |
| Country Districts | 1860 | 239,585 | 468 | 464 | 434 | 480 | 1,846 | 7·70 |
| | 1861 | 259,500 | 505 | 561 | 549 | 515 | 2,130 | 8·20 |
| | 1862 | 269,015 | 537 | 506 | 557 | 529 | 2,129 | 7·91 |
| | 1863 | 273,057 | 475 | 519 | 547 | 533 | 2,074 | 7·59 |
| | 1864 | 283,896 | 579 | 542 | 527 | 541 | 2,189 | 7·71 |
| | 1865 | 295,865 | 609 | 547 | 567 | 529 | 2,252 | 7·61 |
| | 1866 | 308,765 | 555 | 538 | 573 | 542 | 2,208 | 7·15 |
| | 1867 | 322,927 | 565 | 466 | 552 | 509 | 2,092 | 6·47 |
| | 1868 | 335,749 | 582 | 544 | 602 | 563 | 2,291 | 6·82 |
| | 1869 | 349,877 | 574 | 546 | 572 | 551 | 2,243 | 6·41 |
| TOTAL..... | | | 5,449 | 5,233 | 5,480 | 5,292 | 21,454 | |
| New South Wales..... | 1860 | 330,840 | 756 | 726 | 701 | 762 | 2,945 | 8·90 |
| | 1861 | 353,332 | 745 | 857 | 820 | 800 | 3,222 | 9·11 |
| | 1862 | 365,741 | 837 | 794 | 888 | 807 | 3,326 | 9·09 |
| | 1863 | 371,160 | 780 | 824 | 866 | 844 | 3,314 | 8·92 |
| | 1864 | 385,893 | 906 | 869 | 839 | 866 | 3,480 | 9·02 |
| | 1865 | 402,163 | 949 | 889 | 892 | 848 | 3,578 | 8·90 |
| | 1866 | 419,695 | 870 | 870 | 882 | 840 | 3,462 | 8·25 |
| | 1867 | 438,943 | 920 | 793 | 883 | 830 | 3,426 | 7·80 |
| | 1868 | 456,372 | 954 | 937 | 944 | 901 | 3,736 | 8·18 |
| | 1869 | 475,574 | 997 | 928 | 935 | 939 | 3,799 | 7·98 |
| TOTAL..... | | | 8,714 | 8,487 | 8,650 | 8,437 | 34,288 | |

BIRTHS.

BIRTHS.

The births recorded in 1869 numbered 19,243, against 18,485 in 1868,—an increase of 758.

Arranged according to sex, in the three principal divisions of the Colony, we find their numerical and centesimal proportions to the aggregate registrations to be as follows:—

| | Males. | Females. | Total. | Males. Per cent. | Females. Per cent. |
|-----------------|-----------|-----------|------------|---------------------|-----------------------|
| Sydney | 1,501 | 1,344 | 2,845 | 7·80 | 6·98 |
| Suburbs | 1,283 | 1,236 | 2,519 | 6·67 | 6·42 |
| Country | 7,088 | 6,791 | 13,879 | 36·84 | 35·29 |
| Total | 9,872 | 9,371 | 19,243 | 51·31 | 48·69 |
| | ===== | ===== | ===== | ===== | ===== |

Compared with the year 1868, the numbers were in—

| | 1868. | 1869. | Increase per cent. |
|-----------------|------------|------------|--------------------|
| Sydney | 2,593 | 2,845 | 9·68 |
| Suburbs | 2,277 | 2,519 | 10·62 |
| Country | 13,615 | 13,879 | 1·93 |
| Total | 18,485 | 19,243 | 4·10 |
| | ===== | ===== | ===== |

The ratio of births to every 1,000 of the estimated population, at the middle of each of the last six years, was as under, viz.:—

| 1864. | 1865. | 1866. | 1867. | 1868. | 1869. |
|-------|-------|-------|-------|-------|-------|
| 43·74 | 42·97 | 40·38 | 41·73 | 40·50 | 40·46 |

the average being 41·63. It will therefore be seen that the births registered in 1869, upon the same calculation, were 1·40 per 1,000 below the mean of the preceding quinquennial period.

It is, however, stated that the average birth rate in England and Wales, to every 1,000 living, is ^{Birth rate in} _{England and Wales.} 34·20; so that upon this comparison the progressive vital strength of the Colony may be looked upon as favourable.

Table D exhibits the Quarterly Registrations of Births, commencing with the year 1860.

D.

TABLE showing the number of BIRTHS registered in the Colony of New South Wales, during each Quarter of the Years 1860 to 1869.

| | Estimated Population at the middle of each Year. | 31 Mar. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. |
|---------------|--|---------|----------|----------|---------|--------|-------------------------|
| Sydney | 1860 | 55,910 | 588 | 607 | 609 | 545 | 2,349 42·01 |
| | 1861 | 56,532 | 476 | 640 | 661 | 549 | 2,326 41·14 |
| | 1862 | 57,151 | 565 | 560 | 608 | 501 | 2,234 39·08 |
| | 1863 | 57,997 | 591 | 614 | 655 | 501 | 2,361 40·70 |
| | 1864 | 60,299 | 610 | 585 | 653 | 584 | 2,432 40·33 |
| | 1865 | 62,841 | 575 | 663 | 692 | 599 | 2,529 40·24 |
| | 1866 | 65,580 | 620 | 595 | 643 | 620 | 2,478 37·78 |
| | 1867 | 68,587 | 591 | 632 | 709 | 676 | 2,608 38·02 |
| | 1868 | 71,310 | 650 | 680 | 678 | 585 | 2,593 36·36 |
| | 1869 | 74,310 | 637 | 762 | 782 | 664 | 2,845 38·28 |
| TOTAL..... | | | 5,903 | 6,338 | 6,690 | 5,824 | 24,755 |
| Suburbs | 1860 | 35,345 | 426 | 496 | 464 | 431 | 1,817 55·41 |
| | 1861 | 37,300 | 363 | 486 | 511 | 478 | 1,838 49·27 |
| | 1862 | 39,575 | 411 | 478 | 524 | 412 | 1,825 46·11 |
| | 1863 | 40,106 | 458 | 456 | 500 | 458 | 1,872 46·67 |
| | 1864 | 41,698 | 446 | 510 | 496 | 541 | 1,993 47·80 |
| | 1865 | 43,456 | 491 | 510 | 514 | 545 | 2,060 47·40 |
| | 1866 | 45,350 | 465 | 527 | 553 | 534 | 2,079 45·84 |
| | 1867 | 47,429 | 534 | 557 | 600 | 598 | 2,289 48·26 |
| | 1868 | 49,313 | 532 | 557 | 631 | 557 | 2,277 46·17 |
| | 1869 | 51,387 | 581 | 679 | 615 | 644 | 2,519 49·02 |
| TOTAL..... | | | 4,707 | 5,256 | 5,408 | 5,198 | 20,569 |

D—continued.

| | Estimated Population at the middle of each Year. | 31 Mar. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. | |
|-------------------------|--|---------|----------|----------|---------|--------|-------------------------|-------|
| Country Districts | 1860 | 239,585 | 2,326 | 2,542 | 2,707 | 2,492 | 10,067 | 42·02 |
| | 1861 | 259,500 | 2,372 | 2,399 | 2,852 | 2,894 | 10,517 | 40·53 |
| | 1862 | 269,015 | 2,773 | 2,715 | 3,101 | 2,786 | 11,375 | 42·28 |
| | 1863 | 273,057 | 2,717 | 2,764 | 3,083 | 2,882 | 11,446 | 41·91 |
| | 1864 | 283,896 | 2,841 | 3,139 | 3,292 | 3,184 | 12,456 | 43·87 |
| | 1865 | 295,865 | 3,032 | 2,965 | 3,448 | 3,249 | 12,694 | 42·90 |
| | 1866 | 308,765 | 3,026 | 3,047 | 3,276 | 3,044 | 12,393 | 40·13 |
| | 1867 | 322,927 | 3,079 | 3,079 | 3,725 | 3,537 | 13,420 | 41·55 |
| | 1868 | 335,749 | 3,364 | 3,399 | 3,594 | 3,258 | 13,615 | 40·55 |
| | 1869 | 349,877 | 3,298 | 3,430 | 3,679 | 3,472 | 13,879 | 39·66 |
| | TOTAL | | 28,828 | 29,479 | 32,757 | 30,798 | 121,862 | |
| | | | | | | | | |
| | | | | | | | | |
| New South Wales..... | 1860 | 330,840 | 3,340 | 3,645 | 3,780 | 3,468 | 14,233 | 43·62 |
| | 1861 | 353,332 | 3,211 | 3,525 | 4,024 | 3,921 | 14,681 | 41·55 |
| | 1862 | 365,741 | 3,749 | 3,753 | 4,233 | 3,699 | 15,434 | 42·19 |
| | 1863 | 371,160 | 3,766 | 3,834 | 4,238 | 3,841 | 15,679 | 42·24 |
| | 1864 | 385,893 | 3,897 | 4,234 | 4,441 | 4,309 | 16,881 | 43·74 |
| | 1865 | 402,163 | 4,098 | 4,138 | 4,654 | 4,393 | 17,283 | 42·97 |
| | 1866 | 419,695 | 4,111 | 4,169 | 4,472 | 4,198 | 16,950 | 40·38 |
| | 1867 | 438,943 | 4,204 | 4,268 | 5,034 | 4,811 | 18,317 | 41·73 |
| | 1868 | 456,372 | 4,546 | 4,636 | 4,903 | 4,400 | 18,485 | 40·50 |
| | 1869 | 475,574 | 4,516 | 4,871 | 5,076 | 4,780 | 19,243 | 40·46 |
| | TOTAL | | 39,438 | 41,073 | 44,855 | 41,820 | 167,186 | |
| | | | | | | | | |
| | | | | | | | | |

From these figures we gather that, in 1869, the ratio of births to every 1,000 living was in—

| | |
|---------------|-------|
| Sydney..... | 38·28 |
| Suburbs | 49·02 |
| Country | 39·66 |

the Suburban Districts being, as usual, the most prolific. The September quarter shows the highest number of births. In the City and Country Districts it almost invariably happens that in the third and last quarters the births are most numerous. The corresponding season in England is also remarkable for this coincidence.

The registrations go to prove that marriages are most frequent in the March quarter, births as a rule in the September quarter, and deaths in the first and second quarters. Temperature would therefore appear to play its part in determining these natural arrangements.

Of the children born out of wedlock, 409 were boys and 334 girls, making a total of 743, or 3·86 per cent. of the aggregate number of registered births. On referring to the returns for 1860, the total births of this class numbered 464, or 3·26 per cent., exhibiting a proportional increase much to be lamented, and calling for the earnest interference of the conservators of public morals to check the growth of this affliction.

During the last ten years the births of 5,860 illegitimate children were registered—a considerable population in themselves—of which 1,355 were in Sydney, 489 in the suburbs, and 4,022 in the country districts. Appendix B compares the number of legitimate and illegitimate children born in each of the Registration Districts in 1869,—a marked increase being noticeable in the city and Parramatta upon the returns of 1868.

E.

TABLE showing the number of CHILDREN born out of WEDLOCK, in the Colony of New South Wales, from the 1st January, 1860, to 31st December, 1869.

| Year. | Sydney. | | | Suburban. | | | Country Districts. | | | Total. | | |
|------------|---------|----------|--------|-----------|----------|--------|--------------------|----------|--------|--------|----------|--------|
| | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. |
| 1860 | 59 | 44 | 103 | 16 | 16 | 32 | 157 | 172 | 329 | 232 | 232 | 464 |
| 1861 | 58 | 61 | 119 | 17 | 16 | 33 | 166 | 140 | 306 | 241 | 217 | 458 |
| 1862 | 59 | 56 | 115 | 24 | 28 | 52 | 178 | 160 | 338 | 261 | 244 | 505 |
| 1863 | 62 | 67 | 129 | 22 | 22 | 44 | 176 | 156 | 332 | 260 | 245 | 505 |
| 1864 | 64 | 56 | 120 | 32 | 23 | 55 | 202 | 202 | 404 | 298 | 281 | 579 |
| 1865 | 66 | 71 | 137 | 16 | 26 | 42 | 213 | 225 | 438 | 295 | 322 | 617 |
| 1866 | 79 | 78 | 157 | 21 | 30 | 51 | 203 | 215 | 418 | 303 | 323 | 626 |
| 1867 | 65 | 77 | 142 | 32 | 33 | 65 | 232 | 231 | 463 | 329 | 341 | 670 |
| 1868 | 67 | 82 | 149 | 30 | 28 | 58 | 253 | 239 | 492 | 350 | 349 | 699 |
| 1869 | 106 | 78 | 184 | 29 | 28 | 57 | 274 | 228 | 502 | 409 | 334 | 743 |
| | 685 | 670 | 1,355 | 239 | 250 | 489 | 2,054 | 1,968 | 4,022 | 2,978 | 2,888 | 5,866 |

There

There were four instances of triplets having been recorded during the year, and 165 of twins.

F.

TABLE showing the number of TRIPLETS and TWINS born in the Colony of New South Wales, from the 1st January, 1860, to the 31st December, 1869.

| Year. | Triplets. | | | | Twins. | | | |
|-------------|---------------|--------|----------|--------|---------------|--------|----------|--------|
| | No. of Cases. | Males. | Females. | Total. | No. of Cases. | Males. | Females. | Total. |
| 1860 | 3 | 4 | 5 | 9 | 136 | 133 | 139 | 272 |
| 1861 | 2 | 1 | 5 | 6 | 160 | 159 | 161 | 320 |
| 1862 | 1 | | 3 | 3 | 133 | 129 | 137 | 266 |
| 1863 | | | | | 122 | 134 | 110 | 244 |
| 1864 | | | | | 140 | 142 | 138 | 280 |
| 1865 | 3 | 5 | 4 | 9 | 164 | 144 | 182 | 326* |
| 1866 | 2 | 2 | 4 | 6 | 151 | 141 | 155 | 296† |
| 1867 | | | | | 158 | 148 | 166 | 314* |
| 1868 | 3 | 7 | 2 | 9 | 162 | 174 | 150 | 324 |
| 1869 | 4 | 6 | 6 | 12 | 165 | 161 | 169 | 330 |
| TOTAL | 18 | 25 | 29 | 54 | 1,491 | 1,465 | 1,507 | 2,972 |

* Two still-born in each year, not registered.

† Six still-born, not registered.

DEATHS.

The number of deaths registered in the year 1869 was 6,691, viz., 3,972 males and 2,719 females; *Decrease in mortality.* a decrease of 534 or 7·39 per cent. on those recorded in 1868,—a very favourable result, taking the increase of population by births and arrivals into consideration, and the lowest percentage (1·41) in any year during the decennial period just terminated.

Distinguishing as to locality, the number and rate per cent. on the aggregate mortality of the year were, in—

| | Males. | Females. | Total. | Percentage on Total Deaths. | Divisional proportions. |
|-----------------|-----------|-----------|-----------|-----------------------------|-------------------------|
| Sydney | 846 | 665 | 1,511 | 22·57 | |
| Suburbs | 487 | 444 | 931 | 13·92 | |
| Country | 2,639 | 1,610 | 4,249 | 63·51 | |
| Total | 3,972 | 2,719 | 6,691 | 100·00 | |
| | <hr/> | <hr/> | <hr/> | <hr/> | |

Compared with 1868, the following figures are brought out—

| | 1868. | 1869. | Decrease. | Compared with 1868. |
|-----------------|-----------|-----------|-----------|---------------------|
| Sydney | 1,599 | 1,511 | 88 | |
| Suburbs | 956 | 931 | 25 | |
| Country | 4,670 | 4,249 | 421 | |
| Total | 7,225 | 6,691 | 534 | |
| | <hr/> | <hr/> | <hr/> | |

The ratio of deaths to every 1,000 of the estimated population at the middle of each year of the *Ratio of deaths.* last six years is given below—

| 1864. | 1865. | 1866. | 1867. | 1868. | 1869. |
|-------|-------|-------|-------|-------|-------|
| 16·70 | 16·40 | 17·53 | 19·66 | 15·83 | 14·06 |
| <hr/> | <hr/> | <hr/> | <hr/> | <hr/> | <hr/> |

For the five years preceding 1869 we have an average of 17·22 per 1,000, or 3·16 per 1,000 in favour of the past year.

The average mortality in England and Wales is stated to be 22 per 1,000 of the population, and of Scotland 21. New South Wales does not therefore suffer by comparison.

If we take the deaths in the city, suburbs, and country districts separately, we learn that in every 1,000 persons there died in 1869—

| | |
|-----------------|-------|
| In Sydney | 20·33 |
| Suburbs | 18·11 |
| Country | 12·14 |

exhibiting a difference of 2·22 in the rate between the city and suburbs, and of 8·19 between the city and country districts.

It must however be borne in mind, that the deaths in the metropolitan institutions for the sick and infirm tend to increase the rate of mortality in the city which is not fairly chargeable to it; but apart from this we must not disguise from ourselves that there are causes operating in the thickly populated parts of Sydney, arising from bad drainage, over-crowded dwellings, the accumulation of refuse matter, and a consequent impure atmosphere, which must always, while they last, act injuriously on the health of the citizens.

Table G gives the number of deaths registered quarterly in the city, suburbs, and country, for the years 1860 to 1869 inclusive.

G.

TABLE showing the number of DEATHS registered in the Colony of New South Wales during each Quarter of the Years 1860 to 1869.

| | Estimated Population at the middle of each Year. | 31 Mar. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. |
|-------------------------|--|---------|----------|----------|---------|--------|-------------------------|
| Sydney | 1860 | 55,910 | 393 | 573 | 522 | 338 | 1,826 |
| | 1861 | 56,532 | 300 | 312 | 265 | 372 | 22·09 |
| | 1862 | 57,151 | 350 | 340 | 280 | 412 | 24·18 |
| | 1863 | 57,997 | 475 | 360 | 363 | 440 | 28·24 |
| | 1864 | 60,299 | 436 | 435 | 384 | 474 | 28·67 |
| | 1865 | 62,841 | 340 | 345 | 339 | 398 | 22·63 |
| | 1866 | 65,580 | 389 | 412 | 347 | 454 | 24·42 |
| | 1867 | 68,587 | 583 | 797 | 330 | 441 | 31·36 |
| | 1868 | 71,310 | 413 | 410 | 349 | 427 | 22·42 |
| | 1869 | 74,310 | 371 | 354 | 377 | 409 | 20·33 |
| TOTAL | | 4,050 | 4,338 | 3,556 | 4,165 | 16,109 | |
| Suburbs | 1860 | 35,345 | 208 | 228 | 264 | 198 | 25·41 |
| | 1861 | 37,300 | 159 | 152 | 109 | 176 | 15·98 |
| | 1862 | 39,575 | 202 | 192 | 155 | 240 | 19·93 |
| | 1863 | 40,106 | 254 | 182 | 150 | 252 | 20·89 |
| | 1864 | 41,698 | 237 | 197 | 176 | 211 | 19·68 |
| | 1865 | 43,456 | 201 | 185 | 145 | 258 | 18·15 |
| | 1866 | 45,350 | 220 | 256 | 174 | 316 | 21·31 |
| | 1867 | 47,429 | 292 | 551 | 243 | 300 | 29·22 |
| | 1868 | 49,313 | 216 | 247 | 215 | 278 | 19·59 |
| | 1869 | 51,387 | 240 | 226 | 220 | 245 | 18·11 |
| TOTAL | | 2,229 | 2,416 | 1,851 | 2,474 | 8,970 | |
| Country Districts | 1860 | 239,585 | 942 | 1,030 | 935 | 931 | 16·02 |
| | 1861 | 259,500 | 880 | 913 | 832 | 873 | 13·48 |
| | 1862 | 269,015 | 1,145 | 1,139 | 954 | 1,115 | 16·18 |
| | 1863 | 273,057 | 1,356 | 1,044 | 932 | 845 | 15·29 |
| | 1864 | 283,896 | 1,025 | 1,067 | 921 | 882 | 13·72 |
| | 1865 | 295,865 | 1,074 | 1,102 | 1,019 | 1,190 | 14·82 |
| | 1866 | 308,765 | 1,467 | 1,351 | 993 | 982 | 15·52 |
| | 1867 | 322,927 | 1,312 | 1,226 | 1,346 | 1,210 | 15·77 |
| | 1868 | 335,749 | 1,335 | 1,273 | 1,027 | 1,035 | 13·90 |
| | 1869 | 349,877 | 1,216 | 1,141 | 940 | 952 | 12·14 |
| TOTAL | | 11,752 | 11,286 | 9,899 | 10,015 | 42,952 | |
| New South Wales | 1860 | 330,840 | 1,543 | 1,831 | 1,721 | 1,467 | 19·83 |
| | 1861 | 353,332 | 1,339 | 1,377 | 1,206 | 1,421 | 15·12 |
| | 1862 | 365,741 | 1,697 | 1,671 | 1,389 | 1,767 | 17·83 |
| | 1863 | 371,160 | 2,085 | 1,586 | 1,445 | 1,537 | 17·92 |
| | 1864 | 385,893 | 1,698 | 1,699 | 1,481 | 1,567 | 16·70 |
| | 1865 | 402,163 | 1,615 | 1,632 | 1,503 | 1,846 | 16·40 |
| | 1866 | 419,695 | 2,076 | 2,019 | 1,514 | 1,752 | 17·53 |
| | 1867 | 438,943 | 2,187 | 2,574 | 1,919 | 1,951 | 19·66 |
| | 1868 | 456,372 | 1,964 | 1,930 | 1,591 | 1,740 | 15·83 |
| | 1869 | 475,574 | 1,827 | 1,721 | 1,537 | 1,606 | 14·06 |
| TOTAL | | 18,031 | 18,040 | 15,306 | 16,654 | 68,031 | |

The proportion which the infantile mortality bore to the whole number of deaths, during the last decennial period, is shown in Table H, from an analysis of which the following mean results are obtained:—

| | Mean Deaths under 5 years. 1860 to 1869. | Mean Total Deaths. 1860 to 1869. | Proportion per cent. |
|---------------|---|-------------------------------------|----------------------|
| Sydney | 769 | 1,611 | 47·73 |
| Suburbs | 524 | 897 | 58·42 |
| Country | 1,774 | 4,295 | 41·30 |
| — | — | — | — |
| Total..... | 3,067 | 6,803 | 45·08 |
| — | — | — | — |

INFANTILE MORTALITY.

| Year. | Total Deaths of the Year. | Deaths under 5 years. | Percentage of total Deaths under 5 years to Deaths of the Year. | Sydney. | | | Suburbs. | | | Country Districts. | | |
|------------------|---------------------------|-----------------------|---|-----------------------|-----------------------|---|-----------------------|-----------------------|---|-----------------------|-----------------------|---|
| | | | | Total Deaths of Year. | Deaths under 5 years. | Percentage of Deaths under 5 years to total Deaths. | Total Deaths of Year. | Deaths under 5 years. | Percentage of Deaths under 5 years to total Deaths. | Total Deaths of Year. | Deaths under 5 years. | Percentage of Deaths under 5 years to total Deaths. |
| 1860..... | 6,562 | 2,866 | 43·67 | 1,826 | 893 | 48·90 | 898 | 526 | 58·57 | 3,838 | 1,447 | 37·73 |
| 1861..... | 5,343 | 2,291 | 42·87 | 1,249 | 536 | 42·91 | 596 | 353 | 59·22 | 3,498 | 1,402 | 40·08 |
| 1862..... | 6,524 | 2,921 | 44·77 | 1,382 | 607 | 43·92 | 789 | 470 | 59·56 | 4,353 | 1,844 | 42·36 |
| 1863..... | 6,653 | 2,942 | 44·22 | 1,638 | 787 | 48·04 | 838 | 482 | 57·51 | 4,177 | 1,673 | 40·05 |
| 1864..... | 6,445 | 2,839 | 44·04 | 1,720 | 819 | 47·37 | 821 | 442 | 53·83 | 3,895 | 1,578 | 40·51 |
| 1865..... | 6,596 | 2,879 | 43·65 | 1,422 | 612 | 43·04 | 789 | 447 | 56·65 | 4,385 | 1,820 | 41·73 |
| 1866..... | 7,361 | 3,292 | 44·72 | 1,602 | 717 | 44·75 | 966 | 535 | 55·38 | 4,793 | 2,040 | 42·56 |
| 1867..... | 8,631 | 4,574 | 52·99 | 2,151 | 1,262 | 58·67 | 1,386 | 925 | 66·73 | 5,094 | 2,387 | 46·85 |
| 1868..... | 7,225 | 3,105 | 42·97 | 1,599 | 748 | 46·77 | 956 | 512 | 53·55 | 4,670 | 1,845 | 39·50 |
| 1869..... | 6,691 | 2,973 | 44·43 | 1,511 | 712 | 47·12 | 931 | 553 | 59·39 | 4,249 | 1,708 | 40·19 |
| | 68,031 | 30,682 | | 16,109 | 7,693 | | 8,970 | 5,245 | | 42,952 | 17,744 | |
| Mean of 10 years | 6,803 | 3,068 | 44·83 | 1,610 | 769 | 47·14 | 897 | 524 | 58·03 | 4,295 | 1,774 | 41·15 |

Tables I and J which follow give the percentage of deaths in each Ward of the City, and in the Suburban Districts, from 1864 to 1869 inclusive; with the proportion of deaths under five years, the Percentage of deaths in City Wards and Suburbs. deaths under five years to births, the total deaths to births, and the total deaths to population, as determined by the Census of 1861.

I

| Ward. | Percentage of— | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|--|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|--------------------------------------|-------|-------|-------|-------|-------|---|-------|-------|-------|-------|-------|
| | Deaths under 5 years to total Deaths in each Ward. | | | | | | Deaths under 5 years to Births in each Ward. | | | | | | Total Deaths to Births in each Ward. | | | | | | Total Deaths to Population in each Ward. (Census 1861.) | | | | | |
| | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. |
| 1. Gipps ... | 55·55 | 48·83 | 54·43 | 62·80 | 57·79 | 53·75 | 35·92 | 24·70 | 26·13 | 50·99 | 25·79 | 22·16 | 64·67 | 50·58 | 48·01 | 81·16 | 44·64 | 41·23 | 2·99 | 2·38 | 2·34 | 3·94 | 2·13 | 2·21 |
| 2. Bourke ... | 15·63 | 13·48 | 18·23 | 21·71 | 17·84 | 13·62 | 23·87 | 17·20 | 33·68 | 43·65 | 28·69 | 25·78 | *... | ... | ... | ... | ... | ... | 6·58 | 6·19 | 6·78 | 7·68 | 7·17 | 5·84 |
| 3. Brisbane.. | 50·00 | 49·24 | 52·12 | 69·30 | 55·77 | 55·40 | 33·20 | 26·00 | 35·36 | 55·12 | 34·52 | 26·79 | 66·46 | 52·88 | 67·07 | 59·52 | 61·90 | 48·36 | 2·76 | 2·09 | 2·61 | 3·20 | 2·47 | 2·34 |
| 4. Macquarie | 47·74 | 46·99 | 43·30 | 67·24 | 45·26 | 55·26 | 48·09 | 26·70 | 24·74 | 47·85 | 25·74 | 28·00 | 90·24 | 56·85 | 57·05 | 71·17 | 56·88 | 50·66 | 2·46 | 1·83 | 2·14 | 2·57 | 2·10 | 1·68 |
| 5. Cook | 58·85 | 48·29 | 55·8 | 67·77 | 58·29 | 55·15 | 32·49 | 20·38 | 31·32 | 43·50 | 30·52 | 21·61 | 55·16 | 42·20 | 56·60 | 64·16 | 52·37 | 39·19 | 2·65 | 2·12 | 2·38 | 2·92 | 2·40 | 2·34 |
| 6. Fitzroy ... | 51·25 | 51·43 | 47·15 | 61·54 | 54·62 | 54·61 | 29·12 | 22·95 | 24·18 | 40·13 | 28·41 | 25·62 | 56·83 | 44·62 | 51·28 | 65·21 | 52·02 | 46·92 | 2·92 | 2·23 | 2·72 | 3·55 | 3·05 | 2·57 |
| 7. Phillip ... | 66·29 | 64·10 | 59·44 | 71·20 | 55·81 | 54·44 | 52·40 | 38·46 | 32·07 | 62·24 | 29·26 | 30·43 | 78·60 | 60·00 | 53·95 | 87·41 | 52·44 | 55·90 | 3·06 | 2·63 | 2·41 | 4·34 | 2·18 | 3·04 |
| 8. Denison... | 55·00 | 50·36 | 53·03 | 73·00 | 57·14 | 60·00 | 30·79 | 22·08 | 29·63 | 51·33 | 27·96 | 24·05 | 55·95 | 43·84 | 53·86 | 70·32 | 48·93 | 40·09 | 2·10 | 1·72 | 2·24 | 3·26 | 1·99 | 2·11 |

* The Infirmary and Hyde Park Asylum are situated in Bourke Ward.

J

| District. | Percentage of— | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|
| | Deaths under 5 years to total Deaths in each District. | | | | | | Deaths under 5 years to Births in each District. | | | | | | Total Deaths to Births in each District. | | | | | | Total Deaths to Population in each District. | | | | | |
| | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. | 1864. | 1865. | 1866. | 1867. | 1868. | 1869. |
| 1. Sydney ... | 47·37 | 43·04 | 44·75 | 58·67 | 46·77 | 47·12 | 33·67 | 24·20 | 28·93 | 48·39 | 28·84 | 25·02 | 71·09 | 56·22 | 64·65 | 82·48 | 61·66 | 53·11 | 3·04 | 2·50 | 2·82 | 3·78 | 2·81 | 2·65 |
| 2. Balmain... | 51·66 | 55·21 | 52·52 | 69·23 | 52·08 | 62·88 | 13·71 | 24·88 | 22·51 | 35·04 | 20·74 | 19·74 | 26·54 | 45·07 | 42·85 | 51·18 | 39·83 | 31·39 | 1·52 | 2·43 | 2·51 | 3·29 | 2·43 | 2·46 |
| 3. Glebe..... | 55·34 | 44·70 | 54·13 | 64·89 | 56·52 | 65·67 | 26·38 | 16·89 | 29·75 | 51·96 | 30·11 | 27·93 | 47·68 | 37·77 | 54·96 | 80·07 | 53·28 | 42·54 | 2·77 | 2·29 | 3·58 | 6·06 | 3·71 | 3·61 |
| 4. Newtown | 49·42 | 64·00 | 46·06 | 66·11 | 51·16 | 54·02 | 22·63 | 28·23 | 19·90 | 39·21 | 22·33 | 20·43 | 45·78 | 44·12 | 43·20 | 59·31 | 43·65 | 37·82 | 2·05 | 1·77 | 2·10 | 2·85 | 2·03 | 2·05 |
| 5. Redfern & Botany. | 62·39 | 69·56 | 61·86 | 76·00 | 58·51 | 68·16 | 28·35 | 25·57 | 26·54 | 45·24 | 24·49 | 25·49 | 45·43 | 36·76 | 42·91 | 59·52 | 41·86 | 37·40 | 3·49 | 3·08 | 3·52 | 5·60 | 4·03 | 3·65 |
| 6. Paddington. | 51·36 | 53·90 | 57·31 | 57·34 | 48·76 | 53·48 | 22·36 | 21·47 | 30·53 | 41·80 | 21·29 | 22·44 | 44·40 | 39·83 | 53·27 | 72·95 | 43·66 | 41·95 | 2·04 | 2·07 | 2·51 | 3·93 | 2·38 | 2·53 |
| 7. Concord... | 47·27 | 34·54 | 52·63 | 54·54 | 39·13 | 52·17 | 19·84 | 15·32 | 25·00 | 23·62 | 15·12 | 18·90 | 41·98 | 44·35 | 47·50 | 49·30 | 38·65 | 36·22 | 2·33 | 2·46 | 2·33 | 1·95 | 1·95 | 1·95 |
| 8. St. George | 42·70 | 55·40 | 51·22 | 64·96 | 56·36 | 50·49 | 16·46 | 15·89 | 26·25 | 32·84 | 23·56 | 16·45 | 38·55 | 28·68 | 51·25 | 50·55 | 42·58 | 32·58 | 1·70 | 1·31 | 2·17 | 2·43 | 1·94 | 1·79 |
| 9. St. Leonards. | 59·57 | 41·07 | 56·89 | 68·42 | 47·91 | 46·94 | 18·30 | 15·03 | 19·52 | 33·33 | 12·63 | 14·11 | 30·72 | 36·60 | 34·32 | 48·72 | 26·37 | 30·06 | 1·36 | 1·62 | 2·20 | 1·39 | 1·42 | |

The classification of diseases which have ended fatally is contained in the same form as last year (Table K). This statement gives the average percentage which each class and order of disease bore to the aggregate mean mortality for the past septennial period. The value of this periodical arrangement relating to the health of the people will be sustained by the accumulation of material provided by the records, and will always be accepted as a trustworthy basis for calculations having reference to sanitary improvements.

K.

| | 1863. Per- centage. | 1864. Per- centage. | 1865. Per- centage. | 1866. Per- centage. | 1867. Per- centage. | 1868. Per- centage. | 1869. Per- centage. | Mean of 7 years. |
|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------------------------|
| CLASS I.—ZYMOTIC DISEASES. | | | | | | | | |
| Order 1.—Miasmatic Diseases—Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c..... | 24.74 0.50 | 24.56 0.28 | 25.59 0.38 | 26.27 0.46 | 33.19 0.24 | 22.85 0.47 | 20.41 0.19 | 25.37 0.36 |
| 2.—Enthetic Diseases—Syphilis, Gonorrhœa, &c..... | | | | | | | | |
| 3.—Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c..... | 1.74 0.58 | 1.54 0.62 | 1.77 0.44 | 1.85 0.54 | 1.19 0.45 | 1.77 0.40 | 1.60 0.30 | 1.64 0.47 |
| 4.—Parasitic Diseases—Thrush, Worms, &c..... | | | | | | | | |
| | 27.56 | 27.00 | 28.18 | 29.12 | 35.07 | 25.49 | 22.50 | 27.84 |
| CLASS II.—CONSTITUTIONAL. | | | | | | | | |
| Order 1.—Diathetic Diseases—Gout, Dropsy, Cancer, &c. | 2.48 | 2.62 | 2.73 | 2.93 | 2.66 | 3.34 | 3.62 | 2.91 |
| 2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c. | 7.91 | 8.55 | 7.69 | 7.85 | 6.91 | 7.70 | 7.53 | 7.73 |
| | 10.39 | 11.17 | 10.42 | 10.78 | 9.57 | 11.04 | 11.15 | 10.64 |
| CLASS III.—LOCAL. | | | | | | | | |
| Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c. | 13.02 | 13.27 | 12.46 | 12.30 | 11.88 | 14.16 | 14.09 | 13.03 |
| 2.—Circulation—Pericarditis, Aneurism, Heart Disease, &c. | 3.58 | 3.82 | 4.35 | 4.24 | 3.62 | 4.04 | 5.16 | 4.11 |
| 3.—Respiratory—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 7.74 | 8.49 | 7.54 | 7.32 | 8.49 | 9.23 | 10.12 | 8.42 |
| 4.—Digestive—Gastritis, Enteritis, Peritonitis, Hernia, &c. | 6.15 | 6.97 | 6.81 | 6.43 | 5.93 | 6.08 | 6.83 | 6.46 |
| 5.—Urinary—Nephritis, Ischuria, Diabetes, &c. | 0.83 | 0.81 | 1.21 | 0.76 | 0.71 | 0.97 | 1.27 | 0.94 |
| 6.—Generation—Ovarian Dropsy, Uterus Disease, &c. | 0.15 | 0.20 | 0.24 | 0.31 | 0.27 | 0.43 | 0.46 | 0.29 |
| 7.—Joints—Arthritis, Ostitis, Periostitis, &c. | 0.19 | 0.20 | 0.30 | 0.27 | 0.16 | 0.15 | 0.15 | 0.20 |
| 8.—Integumentary—Phlegmon, Ulcer, Skin Disease, &c. | 0.21 | 0.43 | 0.61 | 0.46 | 0.28 | 0.26 | 0.33 | 0.37 |
| | 31.87 | 34.19 | 33.52 | 32.09 | 31.34 | 35.32 | 38.41 | 33.82 |
| CLASS IV.—DEVELOPMENTAL. | | | | | | | | |
| Order 1.—Children—Cyanosis, Spina Bifida, Teething, &c. | 4.70 | 4.53 | 4.93 | 5.45 | 4.63 | 5.15 | 5.47 | 4.98 |
| 2.—Adults—Paramenia, Childbirth, &c. | 0.65 | 0.68 | 0.67 | 0.63 | 0.03 | 0.49 | 0.69 | 0.55 |
| 3.—Old People—Old Age, &c. | 3.59 | 3.06 | 3.67 | 3.07 | 2.49 | 5.23 | 4.95 | 3.72 |
| 4.—Nutrition—Atrophy, Debility | 7.61 | 6.46 | 7.61 | 9.08 | 7.38 | 6.98 | 7.13 | 7.46 |
| | 16.55 | 14.73 | 16.88 | 18.23 | 14.53 | 17.85 | 18.24 | 16.71 |
| CLASS V.—VIOLENCE. | | | | | | | | |
| Order 1.—Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 8.97 | 9.75 | 8.26 | 7.25 | 6.98 | 7.71 | 7.67 | 8.08 |
| 2.—Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds..... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3.—Homicide—Murder and Manslaughter | 0.27 | 0.23 | 0.27 | 0.29 | 0.13 | 0.26 | 0.21 | 0.24 |
| 4.—Suicide—Poison, Drowning, Hanging, &c. | 0.60 | 0.68 | 0.42 | 0.34 | 0.46 | 0.55 | 0.57 | 0.52 |
| 5.—Execution—Hanging | 0.09 | 0.03 | 0.05 | 0.08 | 0.05 | 0.06 | ... | 0.05 |
| Unclassified | 0.76 | ... | ... | ... | ... | ... | ... | 0.11 |
| | 10.69 | 10.69 | 9.00 | 7.96 | 7.62 | 8.58 | 8.45 | 9.00 |
| Unspecified | 2.94 | 2.22 | 2.00 | 1.82 | 1.87 | 1.72 | 1.25 | 1.97 |

Since 1864, Table marked I, exhibiting the number and nature of diseases which resulted in death in each ward of the city, has been prepared, and has formed a portion of the Appendix to the Annual Reports. The information which has by this means been put into a tangible shape is sufficient to show the localities where the largest number of deaths have occurred, which may probably lead to inquiry, and the consequent removal, or at least lessening of those causes which produce disease and death. In bringing these facts before the authorities I discharge my duty as the custodian of the evidence which is drawn from the official returns; it will be for those more immediately charged with the care of the public health to follow up the investigation.

GOVERNMENT LIBRARY
STATISTICIAN'S

15

The figures below give the mean of six years' observations, and distinguish the mortality among children under five years.

| | Population, Census 1861. | Deaths under 5 years. | Over. | Total, | Percentage of Population, Census 1861. |
|------------------|-----------------------------|--------------------------|-------|--------|--|
| Gipps Ward | 7,220 | 108 | 84 | 192 | 2·66 |
| Bourke " | 5,154 | 59 | 287 | 346 | 6·71 |
| Brisbane " | 6,304 | 91 | 72 | 163 | 2·58 |
| Macquarie " | 4,513 | 49 | 47 | 96 | 2·13 |
| Cook " | 8,268 | 119 | 86 | 205 | 2·47 |
| Fitzroy " | 10,959 | 168 | 144 | 312 | 2·84 |
| Phillip " | 5,915 | 110 | 65 | 175 | 2·95 |
| Denison " | 8,061 | 107 | 73 | 180 | 2·23 |
| Total | 56,394 | 811 | 858 | 1,669 | 2·96 |

Excluding Bourke Ward, in which the deaths in the Infirmary and Government Benevolent Asylum are included, and Phillip Ward, in which the Asylum for the reception of the needy and sick is situated, the returns show Fitzroy Ward in proportion to population as the least healthy, the percentage being 2·84. Gipps Ward bordering on Darling Harbour next; Brisbane, Cook, and Denison Wards following in the order of death rate, with Macquarie Ward as the lowest, the percentage being 2·13 per cent. only.

I shall have occasion, upon the preparation of the Report for 1870, to enter more fully into this important subject, when I shall endeavour to show the specific diseases which are most prevalent and fatal in each ward of the city. This information will enable the municipal authorities to take action in the matter, and, it is to be hoped, lead to the removal of those agencies which at present exist and tend to swell the mortality.

The usual Meteorological Abstract for Sydney, for the ten years ended December last, is appended, giving the average results for each month of the year.

L.

| Periods. | No. of Deaths. | Mean Temperature. | Mean Height of Barometer. | Rain. | | Mean Amount of Ozone for seven years. |
|----------------------------|----------------|----------------------|---------------------------------|--------|-------|---|
| | | | | Depth. | Days. | |
| January..... | 139 | 70·9 | 29·856 | 4·28 | 13 | 4·7 |
| February | 124 | 70·4 | .899 | 6·68 | 14 | 4·3 |
| March | 141 | 69·7 | 30·014 | 5·05 | 14 | 4·7 |
| April | 143 | 64·7 | .054 | 8·65 | 13 | 5·2 |
| May | 149 | 58·1 | .062 | 3·33 | 11 | 4·4 |
| June | 140 | 54·6 | .052 | 6·04 | 12 | 5·4 |
| July | 130 | 52·2 | .029 | 4·32 | 10 | 4·8 |
| August | 120 | 54·0 | .076 | 3·67 | 11 | 4·5 |
| September | 103 | 58·6 | 29·982 | 1·76 | 10 | 4·8 |
| October | 125 | 63·3 | .899 | 2·21 | 11 | 5·2 |
| November | 128 | 66·1 | .890 | 2·95 | 10 | 4·8 |
| December | 161 | 69·1 | .827 | 1·65 | 10 | 4·1 |
| Mean of twelve months..... | 133 | 62·6 | 29·970 | 4·21 | 11 | 4·7 |

The records show that the largest number of deaths occurred in the month of December during the decennial period, namely, 161, with a mean temperature ascertained at the Sydney Observatory of 69·1; mean height of barometer, 29·827; rainfall, 1·65 inches on ten days of rain; amount of ozone in the atmosphere, 4·1. The lowest mortality is still found to be in September, 103 deaths having only been registered; temperature, 58·6; barometer, 29·982; rainfall, 1·76 inches; ozone, 4·8. This month unquestionably carries off the palm for salubrity.

The highest average rainfall, from observations ranging over ten years, was in April, 8·65 inches on thirteen days of rain; February, 6·68 inches on fourteen days; June, 6·04 inches on twelve days; and March, 5·05 inches on fourteen days. The driest months were September and December, the rainfall being 1·76 in. and 1·65 in. respectively.

The mean of the twelve months for the period above indicated is as under:—

| | |
|--------------------|--------------|
| Deaths | 133 |
| Barometer | 29·970 |
| Temperature | 62·6 |
| Rainfall | 4·21 inches. |
| Days of rain | 11 |
| Ozone | 4·7 |

In

In bringing my remarks upon the last year's registrations to a close, I would observe that the active measures now being commenced relative to the Census to be taken on 2nd April next, and which it is hoped will be so far advanced before my next annual Report as to enable me to ascertain more reliable information as to the population of the different wards of the city, the various suburbs, and the larger divisions of the Colony, will enable me to test many of the results brought out by the figures published herein, most of the calculations being based upon the Census of 1861, or on the estimated population arrived at by adding the births and arrivals to the former population and deducting the deaths and departures. The results of the forthcoming Census will not only thus be most valuable, but will also be the basis of many mercantile transactions as respects trade and commerce. I would also ask the attention of the Government to those measures which I have pointed out as necessary to give more full effect to the system of registration.

I have the honor to be,

Sir,

Your most obedient Servant,

THEO. J. JAQUES,

Registrar General.

INDEX TO TABLES.

| | PAGE. |
|--|-------|
| Births— | |
| Quarterly Abstract (1869) | 5 |
| " (1860 to 1869) | 9 |
| Children out of Wedlock... | 10 |
| Triplets and Twins | 11 |
| In the Colony | 18 |
| In each District | 18 |
| In each Ward of the City, in proportion to Deaths, &c. | 13 |
| In each Suburban District " " | 13 |
| At Sea, registered in the Colony... | 37 |
| Deaths— | |
| Quarterly Abstract (1869) | 5 |
| " (1860 to 1869) | 12 |
| In the Colony | 18 |
| In each District | 18 |
| In each Ward of the City, in proportion to Births, &c. | 13 |
| In each Suburban District " " | 13 |
| Infants, 1860 to 1869 | 13 |
| Males, at Ages, New South Wales | 21 |
| " " City of Sydney | 24 |
| " " Suburban Districts | 27 |
| " " Country Districts | 30 |
| Females " New South Wales | 22 |
| " " City of Sydney | 25 |
| " " Suburban Districts | 28 |
| " " Country Districts | 31 |
| Both Sexes " New South Wales | 23 |
| " " City of Sydney | 26 |
| " " Suburban Districts | 29 |
| " " Country Districts | 32 |
| From each Cause, in the City of Sydney | 34 |
| Monthly Mortality | 33 |
| At Sea, registered in the Colony... | 37 |
| Mortality, Temperature, &c. | 15 |
| Diseases classified (1864, 1865, 1866, 1867, 1868, and 1869, compared) | 14 |
| Marriages— | |
| Quarterly Abstract (1869) | 5 |
| " (1860 to 1869) | 8 |
| In the Colony | 18 |
| In each District | 18 |
| Denominations (1869) | 20 |
| " (1860 to 1869) | 6 |
| Registration Districts, and District Registrars | 37 |
| Temperature, Height of Barometer, Rain, &c. (1860 to 1869) | 15 |

APPENDIX.

A.

TABLE showing the Number of MARRIAGES, BIRTHS, and DEATHS, registered in the Colony of New South Wales, during the Year ended 31st December, 1869.

| | Marriages. | Births. | | | Deaths. | | |
|--------------------------|------------|---------|----------|--------|---------|----------|--------|
| | | Males. | Females. | Total. | Males. | Females. | Total. |
| Sydney | 1,275 | 1,501 | 1,344 | 2,845 | 846 | 665 | 1,511 |
| Suburban Districts | 281 | 1,283 | 1,236 | 2,519 | 487 | 444 | 931 |
| Metropolitan | 1,556 | 2,784 | 2,580 | 5,364 | 1,333 | 1,109 | 2,442 |
| Country Districts | 2,243 | 7,088 | 6,791 | 13,879 | 2,639 | 1,610 | 4,249 |
| | 3,799 | 9,872 | 9,371 | 19,243 | 3,972 | 2,719 | 6,691 |

B.

TABLE showing the MARRIAGES, BIRTHS, and DEATHS, registered in each District of the Colony of New South Wales, during the Year ended 31st December, 1869.

| Districts. | Popula-tion, Census 1861. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths. | |
|----------------------------|---------------------------------|-----------------|--------------|------------|--------------------------------------|--------------|-------------------------|-----------|------------|------------|----------------------------------|--|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | M. | F. | | |
| | | | | | M. | F. | M. | F. | | | | |
| I.—NORTH-EASTERN. | | | | | | | | | | | | |
| 1. Richmond River | 1,835 | { 16 | 160 | 34 | 80 | 80 | 2 | 2 | 25 | 9 | 126 | |
| Tweed River | | { ... | 7 | 4 | 3 | 4 | ... | ... | 2 | 2 | 3 | |
| 2. Grafton | 3,306 | 75 | 380 | 66 | 194 | 186 | 9 | 2 | 37 | 29 | 314 | |
| 3. Macleay River | 1,963 | 41 | 221 | 38 | 111 | 110 | 1 | 1 | 20 | 18 | 183 | |
| 4. Port Macquarie | 1,350 | 14 | 83 | 39 | 35 | 48 | 3 | 2 | 27 | 12 | 44 | |
| 5. Manning River | 3,384 | 27 | 212 | 49 | 113 | 99 | 2 | 2 | 32 | 17 | 163 | |
| 6. Port Stephens | 1,535 | 12 | 117 | 25 | 59 | 58 | 1 | 1 | 18 | 7 | 92 | |
| 7. Dungog | 1,757 | 8 | 100 | 12 | 48 | 52 | 1 | 4 | 7 | 5 | 88 | |
| 8. Clarence Town | 1,031 | 5 | 33 | 6 | 19 | 14 | 3 | ... | 5 | 1 | 27 | |
| 9. Paterson | 2,440 | 17 | 94 | 25 | 53 | 41 | 3 | 2 | 9 | 16 | 69 | |
| 10. Raymond Terrace | 3,535 | 9 | 112 | 19 | 59 | 53 | ... | 1 | 8 | 11 | 93 | |
| 11. Maitland | 14,573 | 120 | 530 | 160 | 247 | 283 | 12 | 9 | 87 | 73 | 370 | |
| 12. Morpeth | 3,874 | 15 | 164 | 63 | 91 | 73 | 1 | 3 | 32 | 31 | 101 | |
| 13. Patrick's Plains | 5,584 | 45 | 320 | 69 | 166 | 154 | 10 | 7 | 48 | 21 | 251 | |
| 14. Muswellbrook | 1,595 | 28 | 160 | 47 | 77 | 83 | ... | 3 | 26 | 21 | 113 | |
| 15. Scorne | 1,528 | 13 | 122 | 22 | 62 | 60 | 1 | 2 | 12 | 10 | 100 | |
| 16. Murrurundi | 2,088 | 34 | 139 | 46 | 62 | 77 | ... | 3 | 29 | 17 | 93 | |
| TOTAL | 51,378 | 479 | 2,954 | 724 | 1,479 | 1,475 | 49 | 44 | 424 | 300 | 2,230 | |

B—continued.

| Districts. | Population, Census 1861. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths. | |
|-----------------------------|--------------------------------|-----------------|---------|---------|--------------------------------------|-------|-------------------------|-----|---------|-------|----------------------------------|--|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | | | | |
| | | | | | M. | F. | M. | F. | M. | F. | | |
| II.—NORTH-MIDLAND. | | | | | | | | | | | | |
| 1. Tenterfield | 1,365 | 14 | 80 | 28 | 44 | 36 | 2 | 3 | 23 | 5 | 52 | |
| 2. Wellingrove | 1,681 | 17 | 93 | 11 | 49 | 44 | ... | 1 | 6 | 5 | 82 | |
| 3. Inverell | | 14 | 93 | 19 | 44 | 49 | 2 | 4 | 16 | 3 | 74 | |
| 4. Armidale | 6,630 | 70 | 410 | 87 | 207 | 203 | 5 | 8 | 57 | 30 | 323 | |
| TOTAL | 9,676 | 115 | 676 | 145 | 344 | 332 | 9 | 16 | 102 | 43 | 531 | |
| III.—NORTH-WESTERN. | | | | | | | | | | | | |
| 1. Tamworth | 4,852 | 45 | 220 | 51 | 110 | 110 | 2 | 4 | 35 | 16 | 169 | |
| 2. Nundle | | 2 | 56 | 23 | 29 | 27 | 4 | 1 | 13 | 10 | 33 | |
| 3. Warialda | 2,148 | 12 | 107 | 43 | 50 | 57 | 2 | 2 | 23 | 20 | 64 | |
| 4. Cassilis | 1,060 | 8 | 86 | 28 | 45 | 41 | ... | 1 | 21 | 7 | 58 | |
| 5. Dubbo | 2,959 | 33 | 129 | 45 | 65 | 64 | 1 | 1 | 28 | 17 | 84 | |
| Coonabarabran | | 9 | 101 | 42 | 49 | 52 | 2 | 3 | 27 | 15 | 59 | |
| 6. Molong | 1,862 | 8 | 93 | 24 | 50 | 43 | 3 | 1 | 17 | 7 | 69 | |
| Forbes | | 57 | 291 | 109 | 152 | 139 | 10 | 12 | 53 | 56 | 182 | |
| 7. Walgett | 862 | 3 | 22 | 15 | 11 | 11 | ... | 1 | 11 | 4 | 7 | |
| Wee Waa | | 14 | 42 | 39 | 24 | 18 | 1 | ... | 28 | 11 | 3 | |
| TOTAL | 13,743 | 191 | 1,147 | 419 | 585 | 562 | 25 | 26 | 256 | 163 | 728 | |
| IV.—METROPOLITAN. | | | | | | | | | | | | |
| 1. City of Sydney | 56,840 | 1,275 | 2,845 | 1,511 | 1,501 | 1,344 | 106 | 78 | 846 | 665 | 1,334 | |
| 2. Balmain | 3,947 | 28 | 309 | 97 | 159 | 150 | 1 | 3 | 51 | 46 | 212 | |
| 3. Glebe | 3,712 | 27 | 315 | 134 | 165 | 150 | 4 | 1 | 59 | 75 | 181 | |
| 4. Newtown | 4,236 | 29 | 230 | 87 | 118 | 112 | 5 | 4 | 45 | 42 | 143 | |
| 5. Redfern and Botany | 6,701 | 45 | 655 | 245 | 308 | 347 | 5 | 11 | 135 | 110 | 410 | |
| 6. Paddington | 6,794 | 69 | 410 | 172 | 206 | 204 | 5 | 2 | 86 | 86 | 238 | |
| 7. Concord | 2,356 | 21 | 127 | 46 | 64 | 63 | ... | 2 | 26 | 20 | 81 | |
| 8. St. George | 5,647 | 42 | 310 | 101 | 170 | 140 | 3 | 4 | 58 | 43 | 209 | |
| 9. St. Leonards | 3,453 | 20 | 163 | 49 | 93 | 70 | 6 | 1 | 27 | 22 | 114 | |
| TOTAL | 93,686 | 1,556 | 5,364 | 2,442 | 2,784 | 2,580 | 135 | 106 | 1,333 | 1,109 | 2,922 | |
| V.—EAST-MIDLAND. | | | | | | | | | | | | |
| 1. Newcastle | 7,922 | 124 | 815 | 262 | 420 | 395 | 12 | 13 | 149 | 113 | 553 | |
| 2. Wollombi | 1,888 | 12 | 86 | 16 | 36 | 50 | 1 | 4 | 8 | 8 | 70 | |
| 3. Macdonald River | 786 | 5 | 31 | 9 | 18 | 13 | 1 | 2 | 7 | 2 | 22 | |
| 4. Brisbane Water | 2,346 | 14 | 114 | 30 | 53 | 61 | 3 | 1 | 21 | 9 | 84 | |
| 5. Windsor | 5,595 | 39 | 212 | 102 | 110 | 102 | 3 | 5 | 62 | 40 | 110 | |
| 6. Richmond | 3,344 | 27 | 120 | 39 | 67 | 53 | 8 | 4 | 19 | 20 | 81 | |
| 7. Penrith | 5,984 | 22 | 205 | 65 | 98 | 107 | 4 | 6 | 37 | 28 | 140 | |
| Parramatta | 9,980 | 64 | 329 | 225 | 179 | 150 | 14 | 3 | 146 | 79 | 104 | |
| Ryde | 2,103 | 18 | 105 | 91 | 46 | 59 | 1 | ... | 62 | 29 | 14 | |
| Liverpool | 3,673 | 14 | 88 | 167 | 50 | 38 | 1 | ... | 150 | 17 | ... | |
| Campbelltown | 2,609 | 14 | 67 | 29 | 29 | 38 | ... | 3 | 14 | 15 | 38 | |
| Camden | 5,230 | 30 | 166 | 45 | 90 | 76 | ... | 1 | 26 | 19 | 121 | |
| Picton | 3,063 | 3 | 81 | 16 | 45 | 36 | 3 | ... | 8 | 8 | 65 | |
| TOTAL | 54,521 | 386 | 2,419 | 1,096 | 1,241 | 1,178 | 51 | 42 | 709 | 387 | 1,402 | |
| VI.—WEST-MIDLAND. | | | * | | | | | | | | | |
| 1. Careoar | 4,995 | 32 | 206 | 51 | 110 | 96 | 9 | 4 | 35 | 16 | 155 | |
| 2. Hartley | 2,761 | 27 | 313 | 85 | 163 | 150 | 4 | 4 | 48 | 37 | 228 | |
| 3. Bathurst | 12,616 | 109 | 611 | 202 | 317 | 294 | 14 | 9 | 126 | 76 | 409 | |
| 4. Sofala | 4,460 | 13 | 100 | 34 | 49 | 51 | 8 | 5 | 25 | 9 | 66 | |
| 5. Orange | 2,892 | 56 | 284 | 67 | 139 | 145 | 3 | 2 | 37 | 30 | 217 | |
| 6. Wellington | 1,799 | 27 | 115 | 43 | 61 | 54 | 4 | 1 | 30 | 13 | 72 | |
| Tambaroora | 2,991 | 6 | 78 | 37 | 38 | 40 | 2 | 2 | 19 | 18 | 41 | |
| Mudgee | 6,578 | 73 | 398 | 108 | 195 | 203 | 11 | 14 | 66 | 42 | 290 | |
| Rylstone | 1,471 | 10 | 73 | 17 | 35 | 38 | 1 | ... | 14 | 3 | 56 | |
| TOTAL | 40,563 | 353 | 2,178 | 644 | 1,107 | 1,071 | 56 | 41 | 400 | 244 | 1,534 | |
| VII.—SOUTH-EASTERN. | | | | | | | | | | | | |
| 1. Wollongong | 6,049 | 28 | 226 | 51 | 133 | 93 | 1 | 2 | 30 | 21 | 175 | |
| 2. Kiama | 5,486 | 27 | 254 | 43 | 130 | 124 | 2 | 1 | 23 | 20 | 211 | |
| 3. Berrima | 3,237 | 22 | 201 | 53 | 101 | 100 | 1 | 2 | 33 | 20 | 148 | |
| 4. Shoalhaven | 3,321 | 36 | 204 | 34 | 103 | 101 | 6 | 5 | 18 | 16 | 170 | |
| 5. Ulladulla | 975 | 7 | 71 | 11 | 34 | 37 | 1 | ... | 7 | 4 | 60 | |
| Broulee | 1,983 | 28 | 136 | 16 | 69 | 67 | 2 | 2 | 10 | 6 | 120 | |
| Eden | 2,324 | 27 | 175 | 30 | 89 | 86 | 2 | 1 | 12 | 18 | 145 | |
| TOTAL | 23,375 | 175 | 1,267 | 238 | 659 | 608 | 15 | 13 | 133 | 105 | 1,029 | |

B—continued.

| Districts. | Population, Census 1861. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths, | |
|---|--------------------------------|-----------------|---------------|--------------|--------------------------------------|--------------|-------------------------|------------|--------------|--------------|----------------------------------|--|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | M. | F. | | |
| | | | | | M. | F. | M. | F. | | | | |
| VIII.—SOUTH-MIDLAND. | | | | | | | | | | | | |
| 1. Braidwood..... | 8,199 | 60 | 462 | 123 | 246 | 216 | 7 | 7 | 63 | 60 | 339 | |
| 2. Cooma | 3,834 | 29 | 206 | 41 | 103 | 103 | 2 | 3 | 29 | 12 | 165 | |
| 3. Bombala..... | 2,054 | 15 | 105 | 28 | 57 | 48 | 2 | .. | 17 | 11 | 77 | |
| 4. Goulburn | 9,824 | 93 | 541 | 163 | 276 | 265 | 15 | 13 | 100 | 63 | 378 | |
| 5. Albury | 3,771 | 55 | 298 | 114 | 148 | 150 | 3 | 3 | 72 | 42 | 184 | |
| 6. Gundagai | 2,386 | 29 | 190 | 56 | 106 | 84 | 7 | 2 | 34 | 22 | 134 | |
| 7. Tumut | 3,410 | 17 | 108 | 29 | 52 | 56 | 2 | 2 | 16 | 13 | 79 | |
| 8. Yass | 4,425 | 29 | 263 | 73 | 138 | 125 | 3 | 3 | 42 | 31 | 190 | |
| 9. Queanbeyan | 3,612 | 24 | 164 | 35 | 74 | 90 | 4 | 5 | 21 | 14 | 129 | |
| 10. Binalong | 13,450 | { 18 | 132 | 35 | 71 | 61 | 4 | 1 | 17 | 18 | 97 | |
| Young | | { 54 | 203 | 64 | 98 | 105 | 7 | 3 | 37 | 27 | 139 | |
| TOTAL | 54,965 | 423 | 2,672 | 761 | 1,369 | 1,303 | 56 | 42 | 448 | 313 | 1,911 | |
| IX.—SOUTH-WESTERN. | | | | | | | | | | | | |
| 1. Deniliquin | 1,674 | 20 | 67 | 31 | 36 | 31 | 1 | .. | 23 | 8 | 36 | |
| 2. Moama | 256 | 7 | 39 | 23 | 17 | 22 | .. | .. | 16 | 7 | 16 | |
| 3. Moulamein | 463 | 2 | 9 | 4 | 4 | 5 | .. | .. | 1 | 3 | 5 | |
| 4. Balranald | Balranald | Bourke | 20 | 6 | 10 | 10 | 1 | .. | 5 | 1 | 14 | |
| Bourke | | | 7 | 59 | 30 | 34 | 3 | 1 | 21 | 9 | 29 | |
| Hay | | | 20 | 75 | 37 | 42 | 33 | .. | 31 | 6 | 38 | |
| Wentworth | | | 14 | 53 | 26 | 22 | 31 | 1 | 20 | 6 | 27 | |
| Menindie | | | 4 | 15 | 1 | 7 | 8 | .. | 1 | .. | 14 | |
| 5. Wagga Wagga | 2,647 | 47 | 229 | 64 | 132 | 97 | 7 | 3 | 49 | 15 | 165 | |
| TOTAL | 7,043 | 121 | 566 | 222 | 304 | 262 | 13 | 4 | 167 | 55 | 344 | |
| GRAND TOTALS FOR NEW SOUTH WALES | 348,950 | 3,799 | 19,243 | 6,691 | 9,872 | 9,371 | 409 | 334 | 3,972 | 2,719 | 12631 | |

The Deaths in the District of Liverpool show an excess of 79 over the Births, which will reduce the excess of Births over Deaths to 12,552.

C.

MARRIAGES—1869.

| Denomination. | Sydney. | | | Suburban Districts. | | | Country Districts. | | | Total. | | | | | | |
|--------------------------|-----------------|------------|------------|---------------------|------------|-----------|--------------------|-----------|--------------|-----------------|------------|------------|--------------|------------|------------|--------------|
| | Mar- riages. | Marks. | | Mar- riages. | Marks. | | Mar- riages. | Marks. | | Mar- riages. | Marks. | | | | | |
| | | M. | F. | | M. | F. | | M. | F. | | M. | F. | Total. | | | |
| Church of England..... | 213 | 7 | 13 | 20 | 79 | 8 | 5 | 13 | 726 | 108 | 165 | 273 | 1,018 | 123 | 183 | 306 |
| Roman Catholic | 240 | 41 | 90 | 131 | 87 | 16 | 25 | 41 | 574 | 139 | 201 | 340 | 901 | 196 | 316 | 512 |
| Presbyterian | 290 | 30 | 49 | 79 | 29 | .. | 5 | 5 | 344 | 52 | 58 | 110 | 663 | 82 | 112 | 194 |
| Wesleyan | 24 | 2 | .. | 2 | 23 | .. | 1 | 1 | 266 | 31 | 44 | 75 | 313 | 33 | 45 | 78 |
| Primitive Methodist..... | 5 | 1 | 1 | 2 | 10 | 4 | 2 | 6 | 43 | 4 | 4 | 8 | 58 | 9 | 7 | 16 |
| Congregationalist | 37 | 2 | 1 | 3 | 32 | 1 | 2 | 3 | 37 | 8 | 11 | 19 | 106 | 11 | 14 | 25 |
| Baptist | 4 | .. | 1 | 1 | 9 | .. | .. | .. | 12 | .. | 3 | 3 | 25 | .. | 4 | 4 |
| Unitarian | 2 | .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | .. | 4 | .. | .. | .. |
| Hebrew | 11 | .. | .. | .. | .. | .. | .. | 2 | .. | .. | .. | .. | 13 | .. | .. | .. |
| Free Church of England | 441 | 51 | 107 | 158 | 1 | .. | .. | .. | 4 | .. | 2 | 2 | 446 | 51 | 109 | 160 |
| German Evangelical | .. | .. | .. | .. | .. | .. | .. | 2 | .. | .. | .. | .. | 2 | .. | .. | .. |
| Christians | 3 | .. | .. | .. | 3 | .. | .. | .. | .. | .. | .. | .. | 6 | .. | .. | .. |
| Free Gospel Church..... | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | 1 | 1 | 1 | .. | 1 | 1 |
| Registrars' Offices..... | 5 | .. | .. | .. | 6 | 2 | 2 | 4 | 232 | 66 | 92 | 158 | 243 | 68 | 94 | 162 |
| TOTAL..... | 1,275 | 134 | 262 | 396 | 281 | 31 | 42 | 73 | 2,243 | 408 | 581 | 989 | 3,799 | 573 | 885 | 1,458 |

D 1.

SUMMARY of DEATHS of MALES registered in NEW SOUTH WALES, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | | | | | | | | | | | | | | | | | | | Total of all ages. | Percentage on Total Male Deaths of the Year. | | | |
|--|---------------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------|--|-----|------|--------|
| | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 197 | 115 | 59 | 29 | 27 | 427 | 58 | 19 | 10 | 16 | 24 | 21 | 11 | 13 | 10 | 14 | 15 | 15 | 14 | 8 | 10 | 1 | 686 | 17·25 |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 5 | ... | ... | ... | ... | 5 | ... | ... | ... | ... | 1 | ... | 1 | 1 | 2 | ... | 1 | 1 | ... | ... | ... | 12 | 0·30 | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 4 | 3 | 1 | 1 | 1 | 8 | ... | 1 | ... | 5 | 6 | 4 | 6 | 6 | 6 | 7 | 8 | 3 | 2 | 1 | 10 | 73 | 1·84 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 11 | ... | ... | 1 | 1 | 13 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 14 | 0·35 | |
| Total..... | 217 | 118 | 60 | 30 | 28 | 453 | 59 | 20 | 10 | 16 | 29 | 28 | 15 | 20 | 17 | 22 | 22 | 24 | 18 | 10 | 11 | 11 | 785 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 8 | 1 | ... | 1 | ... | 10 | 2 | 1 | ... | 3 | 4 | 10 | 9 | 7 | 13 | 11 | 12 | 21 | 15 | 16 | 12 | ... | 146 | 3·68 |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 29 | 32 | 12 | 1 | 1 | 75 | 5 | 1 | 13 | 17 | 25 | 25 | 31 | 28 | 21 | 18 | 6 | 4 | 5 | 1 | 2 | 1 | 278 | 7·00 |
| Total..... | 37 | 33 | 12 | 2 | 1 | 85 | 7 | 2 | 13 | 20 | 29 | 35 | 40 | 35 | 34 | 29 | 18 | 25 | 20 | 17 | 14 | 1 | 424 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) | 235 | 37 | 13 | 6 | 10 | 301 | 13 | 9 | 4 | 8 | 16 | 20 | 27 | 25 | 33 | 35 | 27 | 32 | 15 | 13 | 11 | 1 | 590 | 14·85 |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 8 | 1 | 2 | ... | ... | 11 | 5 | 6 | 6 | 3 | 5 | 25 | 19 | 22 | 30 | 27 | 25 | 21 | 16 | 13 | 4 | 1 | 239 | 6·02 |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 120 | 32 | 12 | 2 | 3 | 169 | 10 | 2 | 4 | 8 | 10 | 8 | 25 | 18 | 13 | 19 | 25 | 38 | 27 | 13 | 12 | 5 | 406 | 10·22 |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 51 | 8 | 9 | 4 | 3 | 75 | 6 | 7 | 7 | 11 | 14 | 3 | 16 | 19 | 12 | 29 | 26 | 18 | 9 | 7 | 9 | 2 | 270 | 6·80 |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | 1 | ... | 1 | ... | 1 | 3 | ... | ... | 1 | ... | 5 | 5 | 5 | 4 | 8 | 9 | 9 | 7 | 4 | 8 | 3 | ... | 71 | 1·79 |
| 6. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | 1 | ... | ... | 1 | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 5 | 0·13 | |
| 7. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 6 | ... | 1 | ... | ... | 7 | ... | 1 | ... | ... | ... | 1 | ... | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 15 | 0·38 | |
| Total..... | 421 | 78 | 39 | 12 | 17 | 567 | 35 | 24 | 24 | 30 | 51 | 61 | 92 | 89 | 96 | 121 | 113 | 118 | 72 | 55 | 39 | 9 | 1596 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 148 | 47 | 1 | ... | ... | 196 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 196 | 4·93 | |
| 2. Diseases of Old People—(Old Age, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 36 | 36 | 44 | 111 | 4 | 232 | 5·84 | |
| 3. Diseases of Nutrition—(Atrophy, Debility)..... | 199 | 42 | 4 | ... | 2 | 247 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | ... | ... | ... | ... | ... | 253 | 6·37 |
| Total..... | 347 | 89 | 5 | ... | 2 | 443 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 5 | 36 | 36 | 44 | 111 | 4 | 681 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 14 | 20 | 17 | 12 | 4 | 67 | 29 | 27 | 20 | 23 | 20 | 35 | 39 | 25 | 14 | 20 | 22 | 18 | 10 | 4 | 9 | 10 | 392 | 9·87 |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Homicide—(Murder and Manslaughter) | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | ... | ... | ... | ... | 7 | 0·18 | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 4 | 1 | 7 | 3 | 3 | 3 | 2 | 2 | 1 | 1 | 33 | 0·84 | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 15 | 20 | 17 | 12 | 4 | 68 | 29 | 27 | 21 | 25 | 24 | 41 | 41 | 33 | 18 | 23 | 25 | 20 | 12 | 5 | 9 | 11 | 432 | |
| Unspecified | 1 | ... | 1 | ... | 2 | 2 | ... | ... | 2 | 2 | 2 | 2 | 3 | 5 | 2 | 6 | 5 | 3 | ... | 1 | 17 | 54 | 1·36 | |
| Totals from all Causes | 1038 | 338 | 133 | 57 | 52 | 1618 | 133 | 73 | 68 | 93 | 135 | 167 | 190 | 180 | 170 | 198 | 189 | 228 | 161 | 131 | 185 | 53 | 3972 | 100·00 |

D 2.

SUMMARY of DEATHS of FEMALES registered in NEW SOUTH WALES, from 1st January to 31st December, 1869.

| | CAUSES OF DEATH. | | | | | | | | | | | Percentage on Total Female Deaths of the Year. | | | | | | | | | | | | |
|--|------------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|--------------------|--------|--------|
| | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | Total of all ages. | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 158 | 115 | 66 | 38 | 36 | 413 | 55 | 29 | 26 | 27 | 19 | 27 | 19 | 13 | 6 | 11 | 7 | 8 | 5 | 11 | 2 | 2 | 680 | 25·01 |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 3 | 3 | ... | 1 | 2 | 2 | ... | ... | ... | ... | ... | 1·04 | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 18 | 2 | ... | ... | ... | 20 | 1 | ... | ... | ... | 1 | 3 | 3 | ... | 1 | 2 | 2 | ... | ... | ... | ... | 1 | 34·6 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 2 | 3 | ... | ... | 1 | 6 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0·22 | |
| Total..... | 179 | 120 | 66 | 38 | 37 | 440 | 56 | 29 | 26 | 27 | 20 | 30 | 22 | 13 | 7 | 13 | 9 | 8 | 5 | 11 | 2 | 3 | 721 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | ... | 1 | 2 | 1 | 1 | 5 | 1 | 1 | 1 | 4 | 2 | 5 | 7 | 5 | 10 | 20 | 11 | 13 | 5 | 3 | 3 | ... | 96 | 3·53 |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 28 | 15 | 10 | 2 | 1 | 56 | 4 | 8 | 11 | 23 | 30 | 20 | 21 | 17 | 9 | 13 | 5 | 3 | 2 | 2 | 1 | 1 | 226 | 8·32 |
| Total..... | 28 | 16 | 12 | 3 | 2 | 61 | 5 | 9 | 12 | 27 | 32 | 25 | 28 | 22 | 19 | 33 | 16 | 16 | 7 | 5 | 4 | 1 | 322 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplex, Paralysis, Insanity, Cephalitis) | 185 | 28 | 15 | 5 | 2 | 235 | 12 | 4 | 5 | 6 | 7 | 9 | 9 | 7 | 12 | 9 | 11 | 9 | 8 | 5 | 5 | ... | 353 | 12·98 |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | ... | 1 | ... | 1 | 2 | 4 | 2 | 3 | 7 | 9 | 11 | 11 | 2 | 8 | 14 | 11 | 10 | 4 | 3 | 4 | 1 | 106 | 3·89 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 77 | 32 | 9 | 7 | 6 | 131 | 9 | 5 | 6 | 10 | 9 | 8 | 10 | 14 | 14 | 13 | 9 | 12 | 8 | 9 | 2 | 2 | 271 | 9·97 |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 43 | 9 | 5 | 1 | ... | 58 | 5 | 5 | 2 | 4 | 6 | 7 | 13 | 12 | 15 | 16 | 12 | 12 | 11 | 4 | 3 | 2 | 187 | 6·88 |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | 3 | 1 | 1 | 3 | 1 | 1 | ... | 2 | ... | ... | ... | ... | ... | 14·052 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | 5 | 5 | 7 | 4 | 3 | 2 | 1 | ... | ... | ... | ... | 31·14 | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | ... | 1 | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | 5·018 | | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 1 | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | 2 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 7·026 | | |
| Total..... | 306 | 70 | 30 | 13 | 9 | 428 | 32 | 16 | 17 | 31 | 36 | 37 | 51 | 44 | 57 | 58 | 46 | 47 | 34 | 21 | 14 | 5 | 974 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 124 | 45 | 1 | ... | ... | 170 | ... | 1 | 6 | 6 | 8 | 12 | 11 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | 170 | 6·25 |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | ... | 1 | 6 | 6 | 8 | 12 | 11 | ... | 2 | ... | ... | ... | ... | ... | ... | 46 | 1·69 | |
| 3. Diseases of Old People—(Old Age, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 1 | 1 | 3 | 3 | 1 | 10 | 18 | 21 | 47 | 99·224 | 3·64 |
| 4. Diseases of Nutrition—(Atrophy, Debility) | 166 | 28 | 12 | ... | ... | 206 | 1 | 1 | 2 | ... | 1 | 3 | 1 | 1 | 3 | 3 | 1 | 1 | ... | ... | ... | ... | 8·24 | |
| Total..... | 290 | 73 | 13 | ... | ... | 376 | 1 | 2 | 6 | 8 | 8 | 13 | 14 | 1 | 3 | 4 | 5 | 11 | 19 | 21 | 47 | ... | 539 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 17 | 12 | 10 | 8 | 3 | 50 | 14 | 10 | 6 | 5 | 7 | 7 | 5 | 4 | 1 | 5 | 3 | 2 | ... | 1 | 1 | 121 | 4·45 | |
| 2. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | ... | ... | ... | ... | 7·026 | | |
| 3. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 5·018 | | |
| 4. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 17 | 12 | 10 | 8 | 3 | 50 | 14 | 10 | 8 | 7 | 9 | 10 | 6 | 4 | 1 | 6 | 4 | 2 | ... | 1 | 1 | 133 | | |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 | 1 | ... | ... | ... | ... | 9·30 | 1·10 | |
| Totals from all Causes | 820 | 291 | 131 | 62 | 51 | 1355 | 108 | 67 | 70 | 101 | 106 | 117 | 123 | 87 | 90 | 120 | 81 | 82 | 67 | 58 | 68 | 19 | 2719 | 100·00 |

D 3.

SUMMARY of DEATHS of BOTH SEXES registered in NEW SOUTH WALES, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | P | Total of all ages. | Percentage on Total Deaths of the Year. | |
|--|---------------|---------|---------|---------|---------|-------------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|------|--------------------|--|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 355 | 230 | 125 | 67 | 63 | 840 | 113 | 48 | 36 | 43 | 43 | 48 | 30 | 26 | 16 | 25 | 22 | 23 | 19 | 19 | 12 | 3 | 1366 | 20·41 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 6 | ... | ... | ... | ... | 6 | ... | ... | ... | 1 | ... | 1 | ... | 1 | 1 | 2 | ... | 1 | 1 | ... | ... | ... | ... | 13 | 0·19 |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 22 | 5 | 1 | ... | ... | 28 | 1 | 1 | ... | ... | 6 | 9 | 7 | 6 | 7 | 8 | 9 | 8 | 3 | 2 | 1 | 11 | 107 | 1·60 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 13 | 3 | ... | 1 | 2 | 19 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 20 | 0·30 | |
| Total..... | 396 | 238 | 126 | 68 | 65 | 893 | 115 | 49 | 36 | 43 | 49 | 58 | 37 | 33 | 24 | 35 | 31 | 32 | 23 | 21 | 13 | 14 | 1506 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 8 | 2 | 2 | 2 | 1 | 15 | 3 | 2 | 1 | 7 | 6 | 15 | 16 | 12 | 23 | 31 | 23 | 34 | 20 | 19 | 15 | ... | 242 | 3·62 | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 57 | 47 | 22 | 3 | 2 | 131 | 9 | 9 | 24 | 40 | 55 | 45 | 52 | 45 | 30 | 31 | 11 | 7 | 7 | 3 | 3 | 2 | 504 | 7·53 | |
| Total..... | 65 | 49 | 24 | 5 | 3 | 146 | 12 | 11 | 25 | 47 | 61 | 60 | 68 | 57 | 53 | 62 | 34 | 41 | 27 | 22 | 18 | 2 | 746 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis | 420 | 65 | 28 | 11 | 12 | 536 | 25 | 13 | 9 | 14 | 23 | 29 | 36 | 32 | 45 | 44 | 38 | 41 | 23 | 18 | 16 | 1 | 943 | 14·09 | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 8 | 1 | 3 | ... | 1 | 13 | 9 | 8 | 9 | 10 | 14 | 36 | 30 | 24 | 38 | 41 | 36 | 31 | 20 | 16 | 8 | 2 | 345 | 5·16 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 197 | 64 | 21 | 9 | 9 | 300 | 19 | 7 | 10 | 18 | 19 | 16 | 35 | 32 | 27 | 32 | 34 | 50 | 35 | 22 | 14 | 7 | 677 | 10·12 | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 94 | 17 | 14 | 5 | 3 | 133 | 11 | 12 | 9 | 15 | 20 | 10 | 29 | 31 | 27 | 45 | 38 | 30 | 20 | 11 | 12 | 4 | 457 | 6·83 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | 1 | 1 | 1 | ... | 1 | 4 | ... | ... | 1 | 1 | 8 | 6 | 6 | 7 | 9 | 10 | 9 | 9 | 4 | 8 | 3 | ... | 85 | 1·27 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | 5 | 5 | 7 | 4 | 3 | 2 | 1 | ... | ... | ... | 31 | 0·46 | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | 1 | ... | ... | 1 | 2 | ... | 1 | ... | 1 | 1 | ... | 1 | ... | 1 | 1 | 1 | 1 | 1 | 1 | ... | 10 | 0·15 | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 7 | ... | 1 | ... | ... | 8 | 1 | ... | 1 | 1 | 1 | ... | 2 | 1 | ... | 2 | 1 | 1 | 2 | 1 | ... | ... | 22 | 0·33 | |
| Total..... | 727 | 148 | 69 | 25 | 26 | 995 | 67 | 40 | 41 | 61 | 87 | 98 | 143 | 133 | 153 | 179 | 159 | 165 | 106 | 76 | 53 | 14 | 2570 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 272 | 92 | 2 | ... | ... | 366 | ... | ... | 1 | 6 | 6 | 8 | 12 | 11 | ... | 2 | ... | ... | ... | ... | ... | ... | 366 | 5·47 | |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 46 | 0·69 | |
| 3. Diseases of Old People—(Old Age, &c.) | 365 | 70 | 16 | ... | 2 | 453 | 2 | 1 | ... | 2 | ... | 1 | 3 | 1 | 1 | 4 | 7 | 1 | 1 | ... | ... | ... | 477 | 4·95 | |
| 4. Diseases of Nutrition—(Atrophy, Debility) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 7·13 | |
| Total..... | 637 | 162 | 18 | ... | 2 | 819 | 2 | 2 | 6 | 8 | 8 | 13 | 14 | 1 | 3 | 5 | 10 | 47 | 55 | 65 | 158 | 4 | 1220 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 31 | 32 | 27 | 20 | 7 | 117 | 43 | 37 | 26 | 28 | 27 | 42 | 44 | 29 | 15 | 25 | 25 | 18 | 12 | 4 | 10 | 11 | 513 | 7·67 | |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | ... | 3 | 4 | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Homicide—(Murder and Manslaughter) | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | 3 | 5 | 2 | 7 | 3 | 3 | 4 | 2 | 2 | 1 | ... | 1 | 38 | 0·57 | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 32 | 32 | 27 | 20 | 7 | 118 | 43 | 37 | 29 | 32 | 33 | 51 | 47 | 37 | 19 | 29 | 29 | 20 | 14 | 5 | 10 | 12 | 565 | | |
| Unspecified | 1 | ... | 1 | ... | 2 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 | 8 | 8 | 7 | 5 | 3 | 1 | 26 | 84 | 1·25 | | | |
| Totals from all Causes | 1858 | 629 | 264 | 119 | 103 | 2973 | 241 | 140 | 138 | 194 | 241 | 284 | 313 | 267 | 260 | 318 | 270 | 310 | 228 | 189 | 253 | 72 | 6691 | 100·00 | |

E 1.

SUMMARY of DEATHS of MALES registered in SYDNEY, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | ? | Total of all ages. | Percentage on Total Male Deaths, Sydney. | | |
|---|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----|--------------------|--|-------|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 52 | 22 | 15 | 8 | 7 | 104 | 11 | 3 | 2 | 6 | 9 | 2 | 3 | 4 | 1 | 6 | 2 | 2 | 3 | 1 | 2 | 3 | 1 | 160 | 18·91 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 3 | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 5 | 0·59 | |
| 3. Dicte Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 3 | ... | ... | ... | 1 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 18 | 2·13 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·35 | |
| Total | 59 | 22 | 15 | 8 | 8 | 112 | 12 | 3 | 2 | 6 | 10 | 5 | 4 | 5 | 3 | 9 | 4 | 5 | 3 | 3 | 3 | 3 | 3 | 186 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 20 | 2·36 |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 8 | 9 | 4 | ... | ... | 21 | ... | ... | ... | 6 | 7 | 6 | 6 | 13 | 5 | 4 | 3 | 1 | 2 | 1 | ... | ... | ... | ... | 72 | 8·51 |
| Total | 9 | 9 | 4 | ... | ... | 22 | ... | ... | 6 | 9 | 6 | 8 | 15 | 7 | 5 | 6 | 2 | 2 | 1 | ... | 3 | ... | ... | 92 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, &c.) | 56 | 6 | 5 | 5 | 4 | 76 | 5 | ... | 1 | 5 | 3 | 5 | 3 | 9 | 9 | 11 | 5 | 4 | 1 | 2 | ... | 139 | 16·43 | | | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 2 | 1 | 1 | ... | ... | 4 | 1 | 2 | 2 | 1 | 1 | 8 | 6 | 8 | 11 | 6 | 4 | 3 | 2 | 1 | ... | ... | ... | 62 | 7·33 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 28 | 13 | 5 | 2 | ... | 48 | 1 | ... | 1 | 1 | 6 | 1 | 8 | 5 | 2 | 2 | 4 | 9 | 4 | 2 | 1 | ... | ... | 95 | 11·23 | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 8 | 1 | 2 | ... | ... | 13 | 1 | 2 | 1 | 1 | 4 | 1 | 4 | 9 | 4 | 4 | 6 | 3 | 4 | 1 | 1 | ... | ... | 59 | 6·98 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 2 | 4 | 1 | 2 | 5 | 3 | 3 | 3 | 3 | 3 | ... | ... | ... | 24 | 2·83 | | |
| 6. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·35 | |
| 7. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 2 | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 0·24 | |
| Total | 96 | 21 | 13 | 9 | 5 | 144 | 9 | 4 | 5 | 4 | 19 | 17 | 24 | 27 | 31 | 24 | 28 | 23 | 14 | 6 | 5 | ... | ... | 384 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 34 | 13 | ... | ... | ... | 47 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 47 | 5·56 | |
| 2. Diseases of Old People—(Old Age, &c.) | 57 | 10 | ... | ... | ... | 67 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 9 | ... | ... | 15 | 1·77 | |
| 3. Diseases of Nutrition—(Atrophy, Debility) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 67 | 7·92 | |
| Total | 91 | 23 | ... | ... | ... | 114 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 9 | ... | ... | 129 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 5 | 1 | ... | 1 | ... | 7 | 5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 1 | ... | 2 | 1 | 1 | ... | 2 | ... | 34 | 4·02 | | |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 3 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 0·12 | |
| 3. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 6 | 0·71 | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total | 6 | 1 | ... | 1 | ... | 8 | 5 | 1 | 1 | 1 | 3 | 3 | 3 | 7 | 1 | ... | 3 | 2 | 1 | ... | 2 | ... | 41 | | | |
| Unspecified | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | 9 | 14 | 1·66 |
| Totals from all Causes | 262 | 76 | 32 | 18 | 13 | 401 | 26 | 8 | 14 | 21 | 39 | 33 | 46 | 46 | 40 | 39 | 39 | 33 | 21 | 12 | 19 | 9 | 846 | 100·00 | | |

E 2.

SUMMARY of DEATHS of FEMALES registered in SYDNEY, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | Total of all ages. | Percentage on Total female Deaths, Sydney. | | |
|---|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|--------------------|--|--------|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 37 | 16 | 15 | 7 | 4 | 79 | 8 | 2 | 5 | 9 | 5 | 11 | 5 | 3 | ... | 6 | ... | 4 | 3 | 5 | 2 | ... | 147 | 22·10 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | 2 | 1 | ... | ... | ... | ... | ... | 1 | 0·15 | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 5 | ... | ... | ... | ... | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 | 1·81 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 43 | 16 | 15 | 7 | 4 | 85 | 8 | 2 | 5 | 9 | 5 | 13 | 5 | 3 | 1 | 8 | 1 | 4 | 3 | 5 | 2 | 1 | 160 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | ... | 1 | 1 | ... | ... | 2 | ... | ... | ... | 2 | ... | ... | 1 | ... | 5 | 1 | 2 | ... | ... | ... | ... | ... | 13 | 1·96 | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 8 | 4 | 4 | ... | ... | 16 | 1 | ... | 5 | 10 | 10 | 8 | 9 | 6 | 5 | 1 | 2 | 2 | ... | ... | 1 | ... | 76 | 11·43 | |
| Total..... | 8 | 5 | 5 | ... | ... | 18 | 1 | ... | 5 | 12 | 10 | 8 | 9 | 7 | 5 | 6 | 3 | 4 | ... | ... | 1 | ... | 89 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, &c.) | 39 | 6 | 5 | 2 | 1 | 53 | 4 | ... | 1 | 1 | 3 | 1 | 2 | 2 | 3 | 1 | 1 | 2 | 2 | 1 | 1 | ... | 78 | 11·73 | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | ... | ... | ... | ... | ... | ... | 2 | 2 | 2 | 3 | 2 | 5 | 4 | 1 | ... | 7 | 3 | 6 | 3 | 1 | 1 | ... | 42 | 6·32 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 23 | 10 | 1 | 3 | 1 | 38 | 2 | 1 | 3 | 4 | 2 | 1 | 2 | 4 | 5 | 2 | 3 | 3 | 1 | 3 | ... | ... | 74 | 11·13 | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 10 | 3 | 1 | 1 | ... | 15 | 1 | 1 | 1 | 1 | ... | 3 | 5 | 4 | 5 | 8 | 6 | 3 | 5 | 2 | 1 | ... | 61 | 9·17 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 3 | 0·45 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | 1 | ... | ... | ... | ... | ... | 4 | 0·60 | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·15 |
| Total..... | 72 | 19 | 7 | 6 | 2 | 106 | 9 | 4 | 7 | 10 | 9 | 10 | 13 | 13 | 13 | 19 | 14 | 15 | 11 | 7 | 3 | ... | 263 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 33 | 11 | ... | ... | ... | 44 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 44 | 6·61 |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·45 |
| 3. Diseases of Old People—(Old Age, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 6 | ... | 8 | ... | 20 | 3·01 | | |
| 4. Diseases of Nutrition—(Atrophy, Debility) | 40 | 8 | 5 | ... | ... | 53 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 53 | 7·97 |
| Total..... | 73 | 19 | 5 | ... | ... | 97 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | 2 | 3 | 6 | ... | 8 | ... | 120 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 2 | 1 | 1 | 1 | ... | 5 | 1 | ... | 1 | 1 | 2 | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | 13 | 1·96 | |
| 2. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 5 | 0·75 | |
| 3. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 | 0·60 | |
| 4. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total..... | 2 | 1 | 1 | 1 | ... | 5 | 1 | ... | ... | 2 | 3 | 5 | 1 | ... | 4 | 1 | ... | ... | ... | ... | ... | ... | ... | 22 | |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 8 | 11 | 1·65 |
| Totals from all Causes..... | 198 | 60 | 33 | 14 | 6 | 311 | 19 | 7 | 17 | 34 | 28 | 36 | 28 | 24 | 20 | 38 | 22 | 26 | 20 | 12 | 14 | 9 | 665 | 100·00 | |

E 3.

SUMMARY OF DEATHS OF BOTH SEXES registered in SYDNEY, from 1st January to 31st December, 1869.

| | CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | | | |
|---|------------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|--------------------|--|--------|
| | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | Total of all Ages. | Percentage on Total Deaths, in Sydney, | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 89 | 38 | 30 | 15 | 11 | 183 | 19 | 5 | 7 | 15 | 14 | 13 | 8 | 7 | 1 | 12 | 2 | 6 | 6 | 7 | 2 | 307 | 20·32 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 4 | ... | ... | ... | ... | 4 | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 6 | 0·39 | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 8 | ... | ... | ... | ... | 8 | ... | ... | ... | 1 | 4 | 1 | 1 | 3 | 4 | 3 | 3 | ... | 1 | ... | 1 | 30 | 1·99 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 1 | ... | ... | ... | 1 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·20 | |
| Total | 102 | 38 | 30 | 15 | 12 | 197 | 20 | 5 | 7 | 15 | 15 | 18 | 9 | 8 | 4 | 17 | 5 | 9 | 6 | 8 | 2 | 1 | 346 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 1 | 1 | 1 | ... | ... | 3 | ... | ... | ... | 4 | ... | 2 | 2 | 3 | 1 | 8 | 2 | 4 | 1 | ... | 3 | ... | 33 | 2·19 |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 16 | 13 | 8 | ... | ... | 37 | 1 | ... | 11 | 17 | 16 | 14 | 22 | 11 | 9 | 4 | 3 | 2 | ... | 1 | ... | 1 | 148 | 9·80 |
| Total | 17 | 14 | 9 | ... | ... | 40 | 1 | ... | 11 | 21 | 16 | 16 | 24 | 14 | 10 | 12 | 5 | 6 | 1 | ... | 4 | ... | 181 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, &c.) | 95 | 12 | 10 | 7 | 5 | 129 | 9 | ... | 1 | 2 | 8 | 4 | 7 | 5 | 12 | 10 | 12 | 7 | 6 | 2 | 3 | ... | 217 | 14·36 |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 2 | 1 | 1 | ... | ... | 4 | 3 | 4 | 4 | 4 | 3 | 13 | 10 | 9 | 11 | 13 | 7 | 9 | 5 | 3 | 2 | ... | 104 | 6·88 |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 51 | 23 | 6 | 5 | 1 | 86 | 3 | 1 | 4 | 5 | 8 | 2 | 10 | 9 | 7 | 4 | 7 | 12 | 5 | 5 | 1 | ... | 169 | 11·18 |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 18 | 4 | 3 | 3 | ... | 28 | 2 | 3 | 2 | 2 | 4 | 4 | 9 | 13 | 9 | 12 | 12 | 6 | 9 | 3 | 2 | ... | 120 | 7·94 |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | 3 | 4 | 1 | 2 | 5 | 3 | 3 | 4 | ... | ... | ... | ... | 27 | 1·79 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | 2 | ... | 1 | 1 | ... | ... | ... | ... | 4 | 0·27 | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·20 | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·20 | |
| Total | 168 | 40 | 20 | 15 | 7 | 250 | 18 | 8 | 12 | 14 | 28 | 27 | 37 | 40 | 44 | 43 | 42 | 38 | 25 | 13 | 8 | ... | 647 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 67 | 24 | ... | ... | ... | 91 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 91 | 6·02 |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | ... | 2 | 4 | 8 | 3 | 17 | ... | 3 | 0·20 |
| 3. Diseases of Old People—(Old Age, &c.) | 97 | 18 | 5 | ... | ... | 120 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 120 | 7·94 |
| Total | 164 | 42 | 5 | ... | ... | 211 | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | 1 | 2 | 4 | 8 | 3 | 17 | ... | 249 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 7 | 2 | 1 | 2 | ... | 12 | 6 | 1 | 1 | 2 | 3 | 5 | 3 | 4 | 1 | 3 | 2 | 1 | 1 | 2 | ... | 47 | 3·11 | |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 6 | 0·39 |
| 3. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 3 | ... | ... | 2 | 1 | ... | ... | ... | ... | ... | 10 | 0·66 | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total | 8 | 2 | 1 | 2 | ... | 13 | 6 | 1 | 1 | 3 | 6 | 8 | 4 | 7 | 1 | 4 | 4 | 2 | 1 | 2 | ... | 63 | | |
| Unspecified | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | 2 | ... | ... | 1 | ... | 3 | ... | ... | ... | ... | ... | ... | 17 | 25 | 1·65 |
| Totals from all Causes | 460 | 136 | 65 | 32 | 19 | 712 | 45 | 15 | 31 | 55 | 67 | 69 | 74 | 70 | 60 | 77 | 61 | 59 | 41 | 24 | 33 | 18 | 1511 | 100·00 |

F 1.

SUMMARY of DEATHS of MALES registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | ? | Total of all Ages. | Percentage on Total Male Deaths—Suburban Districts. | |
|--|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-------|--------------------|---|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 28 | 27 | 7 | 5 | 3 | 70 | 5 | 2 | ... | 2 | 2 | 3 | ... | 2 | 4 | 1 | ... | ... | 2 | ... | 95 | 19·51 | | | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 2 | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 0·41 | | |
| Total..... | 30 | 27 | 7 | 5 | 3 | 72 | 5 | 2 | ... | 2 | 2 | 3 | ... | 2 | 2 | 4 | 1 | ... | 2 | ... | 97 | | | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 2 | ... | ... | 1 | ... | 3 | 1 | ... | ... | 2 | 2 | ... | 2 | 2 | 3 | ... | 3 | ... | 3 | ... | 2 | ... | 21 | 4·31 | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 7 | 2 | 3 | 1 | ... | 13 | 1 | ... | 4 | 2 | 3 | 6 | 5 | 5 | 3 | 4 | ... | 1 | ... | ... | ... | 47 | 9·65 | | |
| Total..... | 9 | 2 | 3 | 2 | ... | 16 | 2 | ... | 4 | 2 | 5 | 6 | 7 | 7 | 6 | 4 | 3 | 1 | 3 | ... | 2 | ... | 68 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, Brain Disease, &c.)..... | 28 | 13 | 1 | 1 | 1 | 44 | 1 | 1 | ... | 1 | 3 | 1 | 1 | 2 | 3 | 5 | 2 | 3 | 3 | ... | 2 | ... | 72 | 14·78 | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 3 | ... | ... | ... | ... | 3 | 1 | ... | 2 | ... | 2 | 2 | 1 | 3 | ... | 4 | 1 | 1 | 2 | ... | ... | 22 | 4·52 | | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.)..... | 28 | 7 | 1 | ... | ... | 36 | 2 | ... | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | ... | 52 | 10·68 | | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.)..... | 13 | 1 | ... | ... | ... | 14 | ... | 1 | 1 | 2 | ... | 1 | 2 | 1 | 3 | 2 | 1 | ... | ... | ... | ... | 29 | 5·95 | | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 2 | 0·41 | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Total..... | 72 | 21 | 2 | 1 | 1 | 97 | 4 | 2 | 3 | 3 | 5 | 4 | 5 | 5 | 9 | 11 | 11 | 6 | 6 | 3 | 3 | ... | 177 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 25 | 7 | ... | ... | ... | 32 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 32 | 6·58 | |
| 2. Diseases of Old People—(Old Age, &c.) | 52 | 15 | 3 | ... | 1 | 71 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 3 | 3 | 5 | 8 | ... | 19 | 3·90 | |
| 3. Diseases of Nutrition—(Atrophy, Debility) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 74 | 15·20 | |
| Total..... | 77 | 22 | 3 | ... | 1 | 103 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 3 | 5 | 8 | ... | 125 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 1 | 2 | 2 | 1 | 2 | 8 | 1 | 2 | 1 | ... | ... | 1 | ... | 2 | ... | 1 | ... | ... | 1 | ... | 17 | 3·49 | | | |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 3. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | 1 | 3 | 0·61 | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Total..... | 1 | 2 | 2 | 1 | 2 | 8 | 1 | 2 | 1 | ... | ... | 1 | ... | 2 | ... | 2 | 1 | ... | ... | 1 | 1 | 20 | | | |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Totals from all Causes | 189 | 74 | 17 | 9 | 7 | 296 | 13 | 6 | 8 | 7 | 12 | 14 | 12 | 16 | 15 | 19 | 21 | 11 | 12 | 8 | 16 | 1 | 487 | 100·00 | |

F 2.

SUMMARY of DEATHS of FEMALES registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | | | | | | | | | | Total under 5 years. | | | | | | | | | | Total of all ages. | | | | Percentage on Total Female Deaths, Suburban Districts. | | |
|---|---------------|---------|---------|---------|----------|-----------|-----------|-----------|-----------|-----------|----------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----|--------------------|--------------------|--------------------|--------|---|-------|-----|
| | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | ? | Total of all ages. | Total of all ages. | Total of all ages. | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 31 | 25 | 11 | 3 | 12 | 82 | 7 | 5 | 6 | 2 | 2 | 2 | 1 | 2 | ... | 2 | 1 | 1 | ... | ... | ... | 117 | 26·35 | ... | ... | | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0·45 | | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | ... | 1 | 1 | ... | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 0·68 | | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 1 | 1 | ... | ... | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | ... | ... | | |
| Total..... | 32 | 27 | 11 | 3 | 13 | 86 | 7 | 5 | 6 | 2 | 2 | 3 | 4 | 1 | 2 | ... | 2 | 1 | 1 | ... | ... | 122 | ... | ... | ... | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | ... | ... | 1 | ... | ... | 1 | ... | ... | 1 | 1 | 1 | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | ... | 19 | 4·28 | ... | ... | | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 2 | 5 | 3 | ... | ... | 10 | ... | 1 | 1 | 3 | 7 | 6 | 3 | 5 | 1 | 8 | 1 | ... | 1 | 1 | 1 | ... | 48 | 10·81 | ... | ... | |
| Total..... | 2 | 5 | 4 | ... | ... | 11 | ... | 1 | 2 | 4 | 8 | 8 | 4 | 5 | 4 | 11 | 3 | 2 | 2 | 2 | 2 | ... | 67 | ... | ... | ... | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, Brain Disease, &c.) | 16 | 11 | 3 | ... | ... | 30 | 2 | 1 | ... | 3 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | ... | 52 | 11·74 | ... | ... | | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | ... | 1 | ... | ... | 1 | ... | ... | 2 | 1 | ... | 2 | 1 | ... | 2 | 2 | 1 | 1 | 1 | 1 | 1 | ... | 13 | 2·93 | ... | ... | | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 19 | 9 | 3 | 1 | 3 | 35 | 2 | 1 | ... | 2 | 1 | ... | 1 | ... | 1 | 4 | 3 | 3 | 2 | 1 | 1 | ... | 57 | 12·81 | ... | ... | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 12 | 2 | 1 | ... | ... | 15 | ... | 1 | ... | 2 | 1 | 3 | 1 | ... | 3 | 2 | 1 | 1 | ... | ... | ... | 30 | 6·76 | ... | ... | | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 4 | 0·90 | ... | ... | | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | ... | 4 | 0·90 | ... | ... | | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Total..... | 47 | 22 | 8 | 1 | 3 | 81 | 4 | 2 | 1 | 7 | 3 | 6 | 6 | 4 | 4 | 6 | 10 | 10 | 7 | 5 | 3 | 1 | 160 | ... | ... | ... | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 18 | 8 | ... | ... | ... | 26 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 26 | 5·85 | ... | ... | |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 3. Diseases of Old People—(Old Age, &c.) | 32 | 13 | 2 | ... | ... | 47 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 7 | 4 | ... | 12 | 2·70 | ... | |
| 4. Diseases of Nutrition—(Atrophy, Debility) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 48 | 10·81 | ... |
| Total..... | 50 | 21 | 2 | ... | ... | 73 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 7 | 4 | ... | 86 | ... | ... | ... |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 2 | 2 | ... | 2 | ... | 6 | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 | 2·03 | ... | ... |
| 2. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 4. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Total..... | 2 | 2 | ... | 2 | ... | 6 | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 | ... | ... |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Totals from all Causes | 133 | 77 | 25 | 6 | 16 | 257 | 13 | 8 | 9 | 13 | 14 | 18 | 14 | 10 | 10 | 17 | 15 | 14 | 10 | 14 | 7 | 1 | 444 | 100·00 | ... | ... | |

F 3.

SUMMARY of DEATHS of BOTH SEXES Registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 & upwards. | Total | Percentage on Total Deaths, Suburban Districts. | |
|---|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|-------|---|--------|
| | | | | | | | | | | | | | | | | | | | | | | | Total of all ages. | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 59 | 52 | 18 | 8 | 15 | 152 | 12 | 7 | 6 | 4 | 4 | 5 | 4 | 3 | 2 | 6 | 2 | 1 | ... | 2 | ... | 212 | 22·77 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 0·22 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 3 | 1 | ... | ... | 1 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 | 0·54 | |
| Total..... | 62 | 54 | 18 | 8 | 16 | 158 | 12 | 7 | 6 | 4 | 4 | 6 | 4 | 3 | 2 | 2 | 6 | 2 | 1 | ... | 2 | ... | 219 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 2 | ... | 1 | 1 | ... | 4 | 1 | ... | 1 | 1 | 3 | 2 | 3 | 2 | 6 | 3 | 5 | 2 | 4 | 1 | 2 | ... | 40 | 4·30 |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 9 | 7 | 6 | 1 | ... | 23 | 1 | 1 | 5 | 5 | 10 | 12 | 8 | 10 | 4 | 12 | 1 | 1 | 1 | 1 | ... | ... | 95 | 10·20 |
| Total..... | 11 | 7 | 7 | 2 | ... | 27 | 2 | 1 | 6 | 6 | 13 | 14 | 11 | 12 | 10 | 15 | 6 | 3 | 5 | 2 | 2 | ... | 135 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, Brain Disease, &c.) | 44 | 24 | 4 | 1 | 1 | 74 | 3 | 2 | ... | 4 | 4 | 3 | 3 | 2 | 4 | 7 | 4 | 5 | 4 | 2 | 3 | ... | 124 | 13·32 |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 3 | ... | 1 | ... | ... | 4 | 1 | ... | 2 | 2 | ... | 4 | 3 | 1 | 5 | 2 | 4 | 2 | 2 | 1 | ... | 35 | 3·76 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 47 | 16 | 4 | 1 | 3 | 71 | 4 | 1 | ... | 3 | 1 | 1 | 2 | ... | 2 | 3 | 6 | 4 | 5 | 3 | 2 | 1 | 109 | 11·71 |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 25 | 3 | 1 | ... | ... | 29 | .. | 1 | 2 | 1 | 2 | 2 | 2 | 5 | 2 | 3 | 5 | 3 | 1 | 1 | ... | 59 | 6·34 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | ... | ... | 6 | 0·65 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | ... | ... | 4 | 0·43 | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 119 | 43 | 10 | 2 | 4 | 178 | 8 | 4 | 4 | 10 | 8 | 10 | 11 | 9 | 13 | 17 | 21 | 16 | 13 | 8 | 6 | 1 | 337 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 43 | 15 | ... | ... | ... | 58 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 58 | 6·23 |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Diseases of Old People—(Old Age, &c.) | 84 | 28 | 5 | ... | 1 | 118 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 4 | 3 | 12 | 12 | 31 | 3·32 |
| 4. Diseases of Nutrition—(Atrophy, Debility) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 122 | 13·10 |
| Total..... | 127 | 43 | 5 | ... | 1 | 176 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 4 | 3 | 12 | 12 | ... | 211 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 3 | 4 | 2 | 3 | 2 | 14 | 2 | 2 | 1 | ... | 1 | 2 | ... | 2 | ... | 1 | ... | ... | 1 | ... | ... | 26 | 2·79 | |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 0·32 |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 3 | 4 | 2 | 3 | 2 | 14 | 2 | 2 | 1 | ... | 1 | 2 | ... | 2 | ... | 2 | 1 | ... | ... | 1 | 1 | 29 | | |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Totals from all Causes..... | 322 | 151 | 42 | 15 | 23 | 553 | 26 | 14 | 17 | 20 | 26 | 32 | 26 | 26 | 25 | 36 | 36 | 25 | 22 | 22 | 23 | 2 | 931 | 100·00 |

G 1.

SUMMARY of DEATHS of MALES registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | Total of all ages. | Percentage on Total Male Deaths, Country Districts. | | |
|--|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|--------------------|---|--------|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 117 | 66 | 37 | 16 | 17 | 253 | 42 | 14 | 8 | 8 | 13 | 16 | 8 | 7 | 9 | 6 | 9 | 12 | 11 | 6 | 8 | 1 | 431 | 16·33 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 2 | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | 1 | ... | ... | 7 | 0·27 | | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 1 | 3 | 1 | ... | ... | 5 | ... | 1 | ... | ... | 4 | 4 | 3 | 5 | 4 | 4 | 5 | 5 | 3 | 1 | 1 | 10 | 55 | | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 8 | ... | ... | 1 | ... | 9 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 | 0·34 | | |
| Total..... | 128 | 69 | 38 | 17 | 17 | 269 | 42 | 15 | 8 | 8 | 17 | 20 | 11 | 13 | 14 | 11 | 14 | 18 | 15 | 7 | 9 | 11 | 502 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Disease—(Gout, Dropsy, Cancer, &c.) | 5 | 1 | ... | ... | ... | 6 | 1 | 1 | ... | 1 | 2 | 8 | 5 | 3 | 9 | 8 | 19 | 11 | 16 | 7 | ... | 105 | 3·98 | | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 14 | 21 | 5 | ... | 1 | 41 | 4 | 1 | 3 | 8 | 16 | 13 | 13 | 18 | 14 | 11 | 5 | 3 | 5 | 1 | 2 | 1 | 159 | 6·02 | |
| Total..... | 19 | 22 | 5 | ... | 1 | 47 | 5 | 2 | 3 | 9 | 18 | 21 | 18 | 21 | 23 | 19 | 13 | 22 | 16 | 17 | 9 | 1 | 264 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) | 151 | 18 | 7 | ... | 5 | 181 | 7 | 8 | 4 | 6 | 8 | 16 | 21 | 20 | 21 | 21 | 14 | 24 | 8 | 12 | 7 | 1 | 379 | 14·36 | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 3 | ... | 1 | ... | ... | 4 | 3 | 4 | 2 | 2 | 4 | 15 | 11 | 13 | 16 | 21 | 17 | 17 | 13 | 9 | 3 | 1 | 155 | 5·87 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 64 | 12 | 6 | ... | 3 | 85 | 7 | 2 | 3 | 6 | 4 | 6 | 16 | 13 | 9 | 15 | 19 | 28 | 21 | 10 | 5 | 5 | 259 | 9·82 | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 30 | 6 | 7 | 2 | 3 | 48 | 5 | 4 | 5 | 9 | 8 | 2 | 11 | 8 | 7 | 22 | 18 | 14 | 5 | 6 | 8 | 2 | 182 | 6·89 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | 1 | ... | 1 | ... | ... | 2 | ... | ... | 1 | ... | 3 | 1 | 4 | 2 | 3 | 5 | 5 | 4 | 4 | 8 | 3 | ... | 45 | | |
| 6. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 2 | 0·08 | | | |
| 7. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 4 | ... | 1 | ... | ... | 5 | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | 2 | 1 | 1 | 1 | 1 | ... | 13 | 0·49 | |
| Total..... | 253 | 36 | 24 | 2 | 11 | 326 | 22 | 18 | 16 | 23 | 27 | 40 | 63 | 57 | 56 | 86 | 74 | 89 | 52 | 46 | 31 | 9 | 1035 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 89 | 27 | 1 | ... | ... | 117 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 117 | 4·44 | |
| 2. Diseases of Old People—(Old Age, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 32 | 31 | 36 | 94 | 4 | 198 | 7·50 | |
| 3. Diseases of Nutrition—(Atrophy, Debility) | 90 | 17 | 1 | ... | 1 | 109 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | 112 | 4·24 |
| Total..... | 179 | 44 | 2 | ... | 1 | 226 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 32 | 31 | 36 | 94 | 4 | 427 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 8 | 17 | 15 | 10 | 2 | 52 | 23 | 24 | 18 | 22 | 18 | 31 | 36 | 19 | 13 | 20 | 19 | 17 | 9 | 4 | 6 | 10 | 341 | 12·92 | |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | 4 | 1 | 4 | 3 | 1 | 2 | 1 | 2 | 1 | ... | 24 | 0·23 | | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0·91 | |
| Total..... | 8 | 17 | 15 | 10 | 2 | 52 | 23 | 24 | 19 | 24 | 21 | 37 | 38 | 24 | 17 | 21 | 21 | 18 | 11 | 5 | 6 | 10 | 371 | | |
| Unspecified | ... | ... | ... | 1 | ... | 1 | 2 | ... | ... | 1 | 1 | 2 | 2 | 3 | 5 | 2 | 4 | 5 | 3 | ... | 1 | 8 | 40 | 1·52 | |
| Totals from all Causes..... | 587 | 188 | 84 | 30 | 32 | 921 | 94 | 59 | 46 | 65 | 84 | 120 | 132 | 118 | 115 | 140 | 129 | 184 | 128 | 111 | 150 | 43 | 2639 | 100·00 | |

G 2.

SUMMARY of DEATHS of FEMALES registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | Total of all ages. | Percentage on Total Female Deaths, Country Districts. | | |
|--|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|--------------------|---|--------|------|
| | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 90 | 74 | 40 | 28 | 20 | 252 | 40 | 22 | 15 | 16 | 12 | 14 | 10 | 9 | 4 | 5 | 5 | 3 | 1 | 6 | ... | 2 | 416 | 25·84 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 13 | 1 | ... | ... | ... | 14 | 1 | ... | ... | 1 | ... | 3 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 20 | 1·24 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 1 | 2 | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·18 | |
| Total | 104 | 77 | 40 | 28 | 20 | 269 | 41 | 22 | 15 | 16 | 13 | 14 | 13 | 9 | 4 | 5 | 6 | 3 | 1 | 6 | ... | 2 | 439 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | ... | ... | ... | 1 | 1 | 2 | 1 | 1 | ... | 1 | 1 | 3 | 6 | 4 | 7 | 12 | 8 | 9 | 4 | 2 | 3 | ... | 64 | 3·99 | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 18 | 6 | 3 | 2 | 1 | 30 | 3 | 7 | 5 | 10 | 13 | 6 | 9 | 6 | 3 | 4 | 2 | 1 | 1 | 1 | ... | 1 | 102 | 6·34 | |
| Total | 18 | 6 | 3 | 3 | 2 | 32 | 4 | 8 | 5 | 11 | 14 | 9 | 15 | 10 | 10 | 10 | 16 | 10 | 10 | 5 | 3 | 3 | 1 | 166 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) | 130 | 11 | 7 | 3 | 1 | 152 | 6 | 3 | 4 | 2 | 3 | 6 | 5 | 5 | 8 | 6 | 8 | 5 | 5 | 2 | 3 | ... | 223 | 13·85 | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | ... | ... | ... | 1 | 1 | ... | 2 | ... | 1 | 2 | 7 | 4 | 6 | 1 | 6 | 5 | 8 | 3 | ... | 2 | 2 | 1 | 51 | 3·16 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 35 | 13 | 5 | 3 | 2 | 58 | 5 | 3 | 3 | 4 | 6 | 7 | 7 | 10 | 9 | 10 | 2 | 6 | 4 | 4 | 1 | 1 | 140 | 8·70 | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 21 | 4 | 3 | ... | ... | 28 | 4 | 4 | ... | 3 | 6 | 2 | 7 | 5 | 9 | 8 | 3 | 7 | 5 | 1 | 2 | 2 | 96 | 5·97 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 7 | 0·43 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | .. | 5 | 3 | 7 | 2 | 1 | 1 | ... | ... | ... | ... | 23 | 1·43 | |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | 5 | 0·31 | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 1 | ... | ... | ... | ... | 1 | 1 | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 6 | 0·37 | |
| Total | 187 | 29 | 15 | 6 | 4 | 241 | 19 | 10 | 9 | 14 | 24 | 21 | 32 | 27 | 40 | 33 | 22 | 22 | 16 | 9 | 8 | 4 | 551 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 73 | 26 | 1 | ... | ... | 100 | ... | ... | ... | 6 | 5 | 8 | 12 | 11 | ... | 1 | ... | ... | ... | ... | ... | ... | 100 | 6·21 | |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 6 | 5 | 8 | 12 | 11 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 43 | 2·67 | |
| 3. Diseases of Old People—(Old Age, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 | 12 | 14 | 35 | ... | 67 | 4·16 | | |
| 4. Diseases of Nutrition—(Atrophy, Debility) | 94 | 7 | 5 | ... | ... | 106 | ... | 1 | ... | 2 | ... | 1 | 3 | 1 | 1 | 3 | 3 | 1 | 1 | ... | ... | ... | 123 | 7·64 | |
| Total | 167 | 33 | 6 | ... | ... | 206 | ... | 1 | 6 | 7 | 8 | 13 | 14 | 1 | 2 | 3 | 3 | 7 | 13 | 14 | 35 | ... | 333 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 13 | 9 | 9 | 5 | 3 | 39 | 12 | 10 | 6 | 4 | 5 | 4 | 5 | 4 | 1 | 2 | 3 | ... | 2 | ... | 1 | 1 | 99 | 6·15 | |
| 2. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 0·12 | |
| 3. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·06 | |
| 4. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Total | 13 | 9 | 9 | 5 | 3 | 39 | 12 | 10 | 8 | 5 | 5 | 4 | 5 | 4 | 1 | 2 | 3 | ... | 2 | ... | 1 | 1 | 102 | | |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | 2 | 2 | 2 | 3 | 6 | ... | ... | ... | ... | ... | 1 | 19 | 1·18 |
| Totals from all Causes..... | 489 | 154 | 73 | 42 | 29 | 787 | 76 | 52 | 44 | 54 | 64 | 63 | 81 | 53 | 60 | 65 | 44 | 42 | 37 | 32 | 47 | 9 | 1610 | 100·00 | |

G 3.

SUMMARY of DEATHS of BOTH SEXES registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1869.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | | Total of all ages. | Percentage on Total Deaths, Country Districts. | |
|--|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|------------|--------------------|--|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 207 | 140 | 77 | 44 | 37 | 505 | 82 | 36 | 23 | 24 | 25 | 30 | 18 | 16 | 13 | 11 | 14 | 15 | 12 | 12 | 8 | 3 | 847 | 19·93 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 2 | ... | ... | ... | ... | 2 | ... | ... | ... | ... | 5 | ... | 4 | 6 | 5 | 4 | 1 | 1 | 1 | 1 | ... | ... | 7 | 0·16 | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 14 | 4 | 1 | ... | ... | 19 | 1 | 1 | ... | ... | ... | 5 | 4 | 6 | 5 | 4 | 6 | 5 | 3 | 1 | 1 | 10 | 75 | 1·77 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 9 | 2 | ... | 1 | ... | 12 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 | 0·28 | |
| Total..... | 232 | 146 | 78 | 45 | 37 | 538 | 83 | 37 | 23 | 24 | 30 | 34 | 24 | 22 | 18 | 16 | 20 | 21 | 16 | 13 | 9 | 13 | 941 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 5 | 1 | ... | 1 | 1 | 8 | 2 | 2 | ... | 2 | 3 | 11 | 11 | 7 | 16 | 20 | 16 | 28 | 15 | 18 | 10 | ... | 169 | 3·98 | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 32 | 27 | 8 | 2 | 2 | 71 | 7 | 8 | 8 | 18 | 29 | 19 | 22 | 24 | 17 | 15 | 7 | 4 | 6 | 2 | 2 | 2 | 261 | 6·14 | |
| Total..... | 37 | 28 | 8 | 3 | 3 | 79 | 9 | 10 | 8 | 20 | 32 | 30 | 33 | 31 | 33 | 35 | 23 | 32 | 21 | 20 | 12 | 2 | 430 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) | 281 | 29 | 14 | 3 | 6 | 333 | 13 | 11 | 8 | 8 | 11 | 22 | 26 | 25 | 29 | 27 | 22 | 29 | 13 | 14 | 10 | 1 | 602 | 14·17 | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 3 | ... | 1 | ... | 1 | 5 | 5 | 4 | 3 | 4 | 11 | 19 | 17 | 14 | 22 | 26 | 25 | 20 | 13 | 11 | 5 | 2 | 206 | 4·85 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 99 | 25 | 11 | 3 | 5 | 143 | 12 | 5 | 6 | 10 | 10 | 13 | 23 | 23 | 18 | 25 | 21 | 34 | 25 | 14 | 11 | 6 | 399 | 9·39 | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 51 | 10 | 10 | 2 | 3 | 76 | 9 | 8 | 5 | 12 | 14 | 4 | 18 | 13 | 16 | 30 | 21 | 21 | 10 | 7 | 10 | 4 | 278 | 6·54 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | 1 | 1 | 1 | ... | ... | 3 | ... | ... | 1 | ... | 4 | 2 | 4 | 4 | 4 | 6 | 5 | 4 | 4 | 8 | 3 | ... | 52 | 1·22 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | 5 | 3 | 7 | 2 | 1 | 1 | 1 | 1 | 1 | ... | ... | 23 | 0·54 |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | 1 | ... | ... | 1 | 1 | ... | ... | 1 | ... | 1 | ... | 2 | 1 | ... | 1 | 1 | 1 | 1 | 1 | ... | 7 | 0·16 | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | 5 | ... | 1 | ... | ... | 6 | 1 | ... | 1 | 1 | ... | 2 | 1 | ... | 2 | 1 | 1 | 2 | 1 | 1 | 1 | ... | 19 | 0·45 | |
| Total..... | 440 | 65 | 39 | 8 | 15 | 567 | 41 | 28 | 25 | 37 | 51 | 61 | 95 | 84 | 96 | 119 | 96 | 111 | 68 | 55 | 39 | 13 | 1586 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 162 | 53 | 2 | ... | ... | 217 | ... | ... | 6 | 5 | 8 | 12 | 11 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 217 | 5·11 | |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | 6 | 5 | 8 | 12 | 11 | ... | 1 | ... | ... | ... | ... | ... | ... | 43 | 1·01 | | |
| 3. Diseases of Old People—(Old Age, &c.) | 184 | 24 | 6 | ... | 1 | 215 | ... | 1 | ... | 2 | ... | 1 | 3 | 1 | 1 | 4 | 5 | 1 | 38 | 43 | 50 | 129 | 4 | 265 | 6·24 |
| 4. Diseases of Nutrition—(Atrophy, Debility) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 235 | 5·53 | |
| Total..... | 346 | 77 | 8 | ... | 1 | 432 | ... | 1 | 6 | 7 | 8 | 13 | 14 | 1 | 2 | 4 | 6 | 39 | 44 | 50 | 129 | 4 | 760 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 21 | 26 | 24 | 15 | 5 | 91 | 35 | 34 | 24 | 26 | 23 | 35 | 41 | 23 | 14 | 22 | 22 | 17 | 11 | 4 | 7 | 11 | 440 | 10·36 | |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | 2 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 8 | 0·19 | |
| 3. Homicide—(Murder and Manslaughter) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 2 | 4 | 1 | 4 | 3 | 1 | 2 | 1 | 2 | 1 | 1 | ... | 25 | 0·59 | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 21 | 26 | 24 | 15 | 5 | 91 | 35 | 34 | 27 | 29 | 26 | 41 | 43 | 28 | 18 | 23 | 24 | 18 | 13 | 5 | 7 | 11 | 473 | | |
| Unspecified | ... | ... | ... | 1 | ... | 1 | 2 | 1 | 1 | 2 | 1 | 4 | 4 | 5 | 8 | 8 | 4 | 5 | 3 | 1 | 9 | 59 | 1·39 | | |
| Totals from all Causes..... | 1076 | 342 | 157 | 72 | 61 | 1708 | 170 | 111 | 90 | 119 | 148 | 183 | 213 | 171 | 175 | 205 | 173 | 226 | 165 | 143 | 197 | 52 | 4249 | 100·00 | |

H.

SUMMARY OF DEATHS of BOTH SEXES registered in the Colony of NEW SOUTH WALES, during each Month of the Year 1869, classified under the heads of the several Causes of Death.

| CAUSES OF DEATH. | January. | | February. | | March. | | April. | | May. | | June. | | July. | | August. | | September. | | October. | | November. | | December. | | Total. | | | |
|---|----------|----------|-----------|----------|--------|----------|--------|----------|--------|----------|--------|----------|--------|----------|---------|----------|------------|----------|----------|----------|-----------|----------|-----------|----------|--------------|------|------|--------|
| | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Grand Total. | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 67 | 78 | 63 | 72 | 79 | 76 | 81 | 67 | 88 | 70 | 47 | 62 | 39 | 45 | 38 | 35 | 22 | 32 | 48 | 41 | 44 | 43 | 70 | 59 | 686 | 680 | 1366 | 20·41 |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.). | ... | ... | 1 | ... | ... | ... | ... | 1 | 1 | 2 | ... | 1 | ... | 1 | ... | 4 | ... | ... | ... | ... | ... | 2 | ... | 12 | 1 | 13 | 0·19 | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.). | 7 | 6 | 9 | 5 | 9 | 2 | 6 | 3 | 8 | 3 | 9 | 4 | 6 | 1 | 2 | 3 | 5 | 2 | 2 | 1 | 4 | 2 | 6 | 2 | 73 | 34 | 107 | 1·60 |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | ... | ... | 3 | ... | 2 | 1 | ... | 1 | 1 | ... | 1 | 1 | ... | 1 | 1 | ... | 1 | ... | 1 | 2 | 2 | ... | 2 | 1 | 14 | 6 | 20 | 0·30 |
| Total..... | 74 | 84 | 76 | 77 | 90 | 79 | 87 | 71 | 98 | 74 | 59 | 66 | 47 | 47 | 41 | 38 | 32 | 34 | 51 | 44 | 50 | 45 | 80 | 62 | 785 | 721 | 1506 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 11 | 8 | 11 | 9 | 14 | 9 | 12 | 9 | 12 | 6 | 16 | 3 | 13 | 5 | 17 | 8 | 12 | 7 | 12 | 9 | 9 | 12 | 7 | 11 | 146 | 96 | 242 | 3·62 |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 24 | 15 | 22 | 21 | 22 | 17 | 16 | 25 | 23 | 23 | 25 | 15 | 29 | 20 | 28 | 16 | 22 | 18 | 20 | 20 | 13 | 21 | 34 | 15 | 278 | 226 | 504 | 7·53 |
| Total..... | 35 | 23 | 33 | 30 | 36 | 26 | 28 | 34 | 35 | 29 | 41 | 18 | 42 | 25 | 45 | 24 | 34 | 25 | 32 | 29 | 22 | 33 | 41 | 26 | 424 | 322 | 746 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, &c.) | 72 | 39 | 42 | 41 | 53 | 39 | 42 | 23 | 50 | 26 | 48 | 23 | 54 | 19 | 40 | 34 | 40 | 25 | 47 | 26 | 49 | 27 | 53 | 31 | 590 | 353 | 943 | 14·09 |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease). | 24 | 5 | 17 | 6 | 19 | 6 | 12 | 4 | 17 | 13 | 25 | 14 | 12 | 13 | 24 | 6 | 23 | 10 | 17 | 9 | 19 | 9 | 30 | 11 | 239 | 106 | 345 | 5·16 |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 26 | 13 | 16 | 14 | 26 | 18 | 33 | 19 | 32 | 23 | 42 | 28 | 35 | 21 | 65 | 43 | 47 | 33 | 34 | 26 | 24 | 19 | 26 | 14 | 406 | 271 | 677 | 10·12 |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 23 | 18 | 24 | 26 | 24 | 16 | 27 | 12 | 21 | 13 | 21 | 13 | 17 | 18 | 18 | 12 | 13 | 19 | 16 | 28 | 16 | 36 | 16 | 270 | 187 | 457 | 6·83 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | 8 | 1 | 4 | ... | 5 | 1 | 8 | 1 | 3 | 1 | 6 | 3 | 7 | 3 | 3 | 2 | 7 | ... | 8 | ... | 4 | ... | 8 | 2 | 71 | 14 | 85 | 1·27 |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | ... | ... | 5 | ... | 1 | ... | 1 | ... | 3 | ... | 1 | ... | 4 | ... | 6 | ... | 2 | ... | 3 | ... | 3 | ... | 2 | ... | 31 | 31 | 0·46 |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | 2 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | 2 | 1 | ... | 5 | 5 | 10 | 0·15 | | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) | ... | 2 | 1 | ... | 1 | 1 | 1 | ... | 3 | ... | 4 | ... | 2 | 1 | 1 | ... | ... | ... | 2 | 2 | ... | 15 | 7 | 22 | 0·33 | | | |
| Total..... | 153 | 78 | 104 | 92 | 128 | 83 | 123 | 60 | 127 | 81 | 146 | 80 | 128 | 79 | 151 | 104 | 130 | 83 | 125 | 80 | 127 | 78 | 154 | 76 | 1596 | 974 | 2570 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 19 | 27 | 15 | 10 | 20 | 25 | 18 | 18 | 14 | 13 | 23 | 11 | 10 | 15 | 18 | 7 | 12 | 2 | 13 | 12 | 16 | 11 | 18 | 19 | 196 | 170 | 366 | 5·47 |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | 4 | ... | 5 | ... | 3 | ... | 6 | ... | 6 | ... | 2 | ... | 4 | ... | 7 | ... | 3 | ... | 3 | ... | 3 | ... | ... | 46 | 46 | 0·69 | |
| 3. Diseases of Old People—(Old Age, &c.) | 19 | 9 | 27 | 12 | 17 | 7 | 10 | 2 | 14 | 10 | 33 | 5 | 15 | 11 | 22 | 14 | 33 | 9 | 12 | 8 | 14 | 4 | 16 | 8 | 232 | 99 | 331 | 4·95 |
| 4. Diseases of Nutrition—(Atrophy, Debility) | 19 | 27 | 21 | 19 | 28 | 15 | 21 | 23 | 22 | 26 | 23 | 16 | 18 | 10 | 17 | 7 | 21 | 13 | 15 | 23 | 24 | 14 | 24 | 31 | 253 | 224 | 477 | 7·13 |
| Total..... | 57 | 67 | 63 | 46 | 65 | 50 | 49 | 49 | 50 | 55 | 79 | 34 | 43 | 40 | 57 | 35 | 66 | 27 | 40 | 46 | 54 | 32 | 58 | 58 | 681 | 539 | 1220 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 33 | 16 | 22 | 12 | 36 | 15 | 33 | 6 | 38 | 11 | 27 | 6 | 38 | 13 | 33 | 9 | 27 | 7 | 30 | 9 | 33 | 11 | 42 | 6 | 392 | 121 | 513 | 7·67 |
| 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) | ... | ... | ... | 1 | ... | 1 | 2 | ... | 1 | ... | ... | 1 | 1 | 1 | 1 | ... | 2 | 1 | ... | 2 | ... | 2 | ... | 7 | 7 | 14 | 0·21 | |
| 3. Homicide—(Murder and Manslaughter) | 5 | 1 | 3 | 1 | 2 | ... | 3 | ... | 4 | 1 | 3 | ... | 2 | ... | 3 | 1 | 1 | 3 | ... | 1 | ... | 3 | ... | 33 | 5 | 38 | 0·57 | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 5. Execution—Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total..... | 38 | 17 | 26 | 13 | 39 | 17 | 36 | 7 | 42 | 12 | 31 | 7 | 41 | 14 | 36 | 12 | 29 | 8 | 33 | 9 | 36 | 11 | 45 | 6 | 432 | 133 | 565 | |
| Unspecified | 11 | 1 | 4 | 4 | 7 | 1 | 3 | 1 | 1 | ... | 4 | 4 | 4 | 2 | 2 | 2 | 5 | 5 | 4 | 3 | 2 | 1 | 7 | 6 | 54 | 30 | 84 | 1·25 |
| Totals from all Causes..... | 368 | 270 | 306 | 262 | 365 | 256 | 326 | 222 | 353 | 251 | 360 | 209 | 305 | 207 | 332 | 215 | 296 | 182 | 285 | 211 | 291 | 200 | 385 | 234 | 3972 | 2719 | 6691 | 100·00 |

I.

TABLE showing the DEATHS which have occurred from the causes stated, in each of the several WARDS of the CITY OF SYDNEY, from 1st January to 31st December, 1869, distinguishing those under five years of age.

| | Gipps. | Bourke. | Brisbane. | Macquarie. | Cook. | Fitzroy. | Phillip. | Denison. | Total Deaths from each Cause, in Sydney, 1869 |
|---------------------------------------|--------|---------|-----------|------------|--------|----------|----------|----------|---|
| | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | |
| CAUSES OF DEATH. | | | | | | | | | |
| Class I.—Order 1. | | | | | | | | | |
| 1. Small-pox | | | | | | | | | 2 |
| 2. Measles | | | | | | | | | 1 462 |
| 3. Scarlatina | 4 | 1 | 5 | 1 | 1 | 2 | 1 | 3 | 19 57 |
| Diphtheria | 1 | 1 | 2 | | | | | | 27 12 26 176 |
| 4. Quinsy | | | | | | | | | 14 34 36 18 28 28 |
| 5. Croup | 5 | 5 | 1 | 1 | 3 | 3 | 1 | 1 | 1 3 2 2 3 |
| 6. Whooping-cough | 5 | 5 | 3 | 3 | 3 | 7 | 7 | 8 | 46 30 34 12 13 |
| 7. Typhus (and Infantile Fever) | 3 | 2 | 5 | 4 | 19 | 23 | 2 | 3 | 72 73 71 73 35 45 |
| 8. Erysipelas | | | | | | | | | |
| 9. Metria | 1 | 1 | | | 1 | 1 | | | 1 1 5 2 2 3 6 |
| 10. Carbuncle | | | | | | | | | 2 1 1 3 |
| 11. Influenza | 2 | 2 | 1 | 1 | | | | | 6 4 3 14 2 4 |
| 12. Dysentery | 1 | 1 | 11 | 11 | 1 | 1 | | | 21 27 52 35 40 57 |
| 13. Diarrhoea | 8 | 3 | 11 | 4 | 5 | 9 | 4 | 3 | 73 95 156 154 134 124 |
| 14. Cholera | | | | | | | | | |
| 15. Ague | | | | | | | | | 1 3 |
| 16. Remittent Fever | | | | | | | | | 2 1 7 6 2 1 |
| 17. Rheumatism | 2 | 2 | 2 | 2 | | | | | 1 1 6 6 3 10 6 10 |
| | 28 | 11 | 39 | 12 | 41 | 53 | 15 | 9 | 2412 214 3512 47 45 22 67 16 15 31 2012 32307 383 906 395 331 497 |
| Order 2. | | | | | | | | | |
| 1. Syphilis | 1 | 1 | 1 | 1 | | | | | 5 7 5 7 6 4 |
| 2. Stricture of the Urethra | | | 1 | 1 | | | | | 1 5 ... 6 |
| 3. Hydrophobia | | | | | | | | | |
| 4. Glanders | | | | | | | | | |
| | 1 | 1 | 2 | 2 | | | | | 6 12 5 13 6 4 |
| Order 3. | | | | | | | | | |
| 1. Privation | | | 1 | 1 | | | | | |
| 2. Want of Breast Milk | 1 | 1 | | | | | | | 1 8 4 6 7 4 |
| 3. Purpura and Scurvy | | | | | | | | | 8 8 7 14 9 4 |
| 4. Alcoholism— | | | | | | | | | |
| a Delirium Tremens | | | 5 | 5 | | | | | 8 5 3 3 10 4 |
| b Intemperance | 2 | 2 | 3 | 3 | 3 | | | | 12 3 2 12 14 10 |
| | 1 | 2 | 3 | 9 | 9 | 3 | 3 | | 30 27 17 37 43 23 |
| Order 4. | | | | | | | | | |
| 1. Thrush | | | | | | | 1 | 1 | 1 1 3 11 5 5 |
| 2. Worms, &c. | | | | | | | 1 | 1 | 2 2 4 1 2 3 |
| | | | | | | | 1 | 1 | 3 3 7 12 7 8 |
| Total, Class I | 30 | 13 | 43 | 12 | 52 | 64 | 15 | 12 | 2712 214 3714 51 47 23 7022 19 41 2214 36346 425 935 457 387 532 |
| Class II.—Order 1. | | | | | | | | | |
| 1. Gout | | | 2 | 2 | 1 | 1 | | | 4 1 1 2 1 3 |
| 2. Dropsy | | | | 1 | 2 | 3 | | | 9 17 19 17 19 10 |
| 3. Cancer | 2 | 2 | 8 | 8 | 3 | 3 | | | 26 19 23 16 21 |
| 4. Noma | | | | | | | | | 1 ... 1 ... |
| 5. Mortification | | | | | | | | | 1 4 4 3 3 1 |
| | 2 | 2 | 10 | 10 | 1 | 6 | 7 | | 33 49 43 45 40 35 |
| Order 2. | | | | | | | | | |
| 1. Scrofula | | | 7 | 7 | 1 | 1 | 2 | 1 | 10 14 11 15 10 11 |
| 2. Tabes Mesenterica | 3 | 3 | | 5 | 5 | | 1 | 1 | 23 20 25 25 15 18 |
| 3. Phthisis | 13 | 13 | 17 | 17 | 5 | 5 | 8 | 19 | 19 19 11 11 9 9 101 115 142 118 107 125 |
| 4. Hydrocephalus | | | 1 | 1 | 4 | 1 | 1 | 2 | 3 2 2 1 1 14 4 12 11 21 40 |
| | 3 | 13 | 16 | 1 | 24 | 25 | 10 | 6 | 16 1 9 10 7 20 27 8 19 27 5 11 16 2 9 11 148 153 190 169 153 194 |
| Total, Class II..... | 3 | 15 | 18 | 1 | 34 | 35 | 11 | 12 | 23 1 9 10 7 23 30 8 26 34 6 12 18 3 10 13 181 202 233 214 193 229 |
| Class III.—Order 1. | | | | | | | | | |
| 1. Cephalitis | 8 | 8 | 2 | 2 | 4 | 7 | 7 | | 42 48 49 30 12 23 |
| 2. Apoplexy | 8 | 8 | 13 | 13 | 2 | 1 | 3 | 1 | 2 2 40 43 26 30 39 38 |
| 3. Paralysis | 3 | 3 | 3 | 3 | 2 | 2 | 1 | 1 | 5 5 2 2 3 3 20 18 16 22 17 19 |
| Sunstroke | | | | | | | | | 1 1 ... 2 |
| Carried forward | 8 | 11 | 19 | 2 | 18 | 20 | 9 | 3 | 12 2 2 3 5 8 9 9 18 6 8 14 3 6 9 103 110 91 84 68 80 |

I—continued.

| | CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|------------------|-------|--------|---------|-------|--------|-----------|-------|--------|------------|-------|--------|--------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|-----|-----|-----|-----|-----|-----|
| | Gipps. | | | Bourke. | | | Brisbane. | | | Macquarie. | | | Cook. | | | Fitzroy. | | | Phillip. | | | Denison. | | | | | | | | |
| | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | | | | | | |
| Class III—Order 1—continued. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brought forward..... | 8 | 11 | 19 | 2 | 18 | 20 | 9 | 3 | 12 | 2 | 2 | 3 | 5 | 8 | 9 | 9 | 18 | 6 | 8 | 14 | 3 | 6 | 9 | 103 | 110 | 91 | 84 | 68 | 80 | |
| 4. Insanity | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 4 | | |
| 5. Chorea | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 6. Epilepsy | | | | 2 | 2 | 4 | 1 | 1 | 2 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 7 | 5 | 10 | 10 | 10 | | | | |
| 7. Convulsions..... | 8 | 8 | 5 | 5 | 5 | 15 | 15 | 8 | 8 | 8 | 2 | 10 | 13 | 1 | 14 | 6 | 6 | 17 | 17 | 17 | 83 | 91 | 105 | 73 | 60 | 108 | | | | |
| 8. Brain Disease, &c. | 3 | 2 | 5 | 2 | 8 | 10 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 3 | 5 | 1 | 1 | 1 | 2 | 3 | 27 | 24 | 26 | 27 | 41 | 40 | | | | |
| | 19 | 13 | 32 | 9 | 28 | 37 | 24 | 6 | 30 | 8 | 210 | 12 | 8 | 20 | 24 | 13 | 37 | 12 | 9 | 21 | 21 | 9 | 30 | 217 | 234 | 227 | 196 | 180 | 243 | |
| Order 2. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | | 1 | 1 | | 2 | 2 | | | | | | 1 | 1 | | | | 1 | 1 | 2 | | 1 | 1 | 7 | 6 | 3 | 3 | 3 | 2 | | |
| 2. Aneurism..... | 1 | 1 | 2 | 8 | 8 | 8 | | | | | | 2 | 2 | | | | 1 | 1 | 1 | | 13 | 7 | 11 | 4 | 1 | 1 | 1 | | | |
| 3. Heart Disease, &c. | 1 | 5 | 6 | 30 | 30 | 1 | 8 | 9 | 5 | 5 | | 8 | 8 | | 8 | 8 | 8 | 8 | 8 | 10 | 10 | 84 | 71 | 64 | 69 | 62 | 55 | | | |
| | 2 | 7 | 9 | 40 | 40 | 1 | 8 | 9 | 7 | 7 | | 9 | 9 | | 8 | 8 | 110 | 11 | 11 | 11 | 11 | 104 | 84 | 78 | 76 | 66 | 58 | | | |
| Order 3. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | 6 | 4 | 5 | 7 | |
| 2. Bronchitis | 6 | 3 | 9 | 3 | 6 | 9 | 4 | 2 | 6 | 2 | 3 | 5 | 7 | 2 | 9 | 9 | 3 | 12 | 6 | 5 | 11 | 7 | 1 | 8 | 69 | 59 | 95 | 77 | 42 | 58 |
| 3. Pleurisy | 1 | 1 | 7 | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11 | 16 | 7 | 5 | 6 | 9 | | | |
| 4. Pneumonia | 3 | 3 | 6 | 12 | 12 | 5 | 2 | 7 | 2 | 2 | 6 | 4 | 10 | 4 | 4 | 8 | 4 | 4 | 9 | 2 | 11 | 60 | 55 | 44 | 33 | 30 | 36 | | | |
| 5. Asthma | | | 1 | 1 | | | | | | | | | | | | 2 | 2 | | | | 3 | 6 | 5 | 8 | 2 | 3 | | | | |
| 6. Lung Disease, &c. | 3 | 3 | 2 | 2 | 1 | 5 | 6 | 1 | 1 | 1 | 2 | 1 | 6 | 7 | 2 | 1 | 3 | 1 | 1 | 25 | 17 | 17 | 19 | 30 | 24 | | | | | |
| | 10 | 9 | 19 | 3 | 28 | 31 | 10 | 10 | 20 | 4 | 4 | 8 | 15 | 7 | 22 | 14 | 15 | 29 | 12 | 6 | 18 | 18 | 4 | 22 | 169 | 154 | 174 | 146 | 115 | 137 |
| Order 4. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 2 | 2 | 1 | 1 | 3 | 3 | 3 | | | | | | | | | 2 | 2 | 4 | 1 | 1 | 2 | 2 | 2 | 13 | 4 | 13 | 5 | 10 | 8 | |
| 2. Enteritis | 1 | 1 | 1 | 1 | 2 | 3 | | | | | | 4 | 4 | 7 | 1 | 8 | 3 | 3 | 6 | 1 | 2 | 3 | 25 | 27 | 25 | 21 | 19 | 24 | | |
| 3. Peritonitis | 1 | 1 | 10 | 10 | | | | | | 1 | 2 | 3 | 1 | 1 | 2 | | | | | | 16 | 9 | 7 | 8 | 6 | 13 | | | | |
| 4. Ascites | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 2 | 1 | 4 | 3 | | | | |
| 5. Ulceration of Intestines | | | | | | | | | | | | | | | | | | | | | 3 | 4 | 2 | 3 | 6 | | | | | |
| 6. Hernia..... | | | | 1 | 1 | | | | | | | | | | | 1 | 1 | | | | | 2 | 2 | 2 | 1 | 2 | 2 | | | |
| 7. Ileus | 1 | 1 | | | | | | | | | | | | | | 1 | 1 | | | | | 3 | 1 | 5 | 5 | 2 | 5 | | | |
| 8. Intussusception | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 4 | 3 | 1 | 3 | | | | |
| 9. Stricture of Intestines | | | 1 | 1 | | | | | | | | | | | | 1 | 1 | | | | 2 | | 1 | | | | | | | |
| 10. Fistula | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11. Stomach Disease, &c. | 3 | 3 | | | | | 1 | 1 | | | | 2 | 2 | 1 | 3 | 4 | 1 | 1 | | | 11 | 3 | 10 | 9 | 10 | 10 | | | | |
| 12. Pancreas Disease, &c. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13. Hepatitis..... | | | | 2 | 2 | 2 | 2 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 10 | 12 | 6 | 8 | 12 | 6 | | | |
| 14. Jaundice | | | | | | | | | | | | | | | | 1 | 1 | | | 1 | 2 | 1 | 3 | 1 | 1 | 1 | | | | |
| 15. Liver Disease, &c. | 5 | 5 | 15 | 15 | 4 | 4 | 2 | 2 | 2 | | | 2 | 2 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 36 | 22 | 38 | 31 | 28 | 48 | | | |
| 16. Spleen Disease, &c. | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| | 2 | 11 | 13 | 2 | 28 | 30 | 4 | 9 | 13 | 3 | 3 | 2 | 11 | 13 | 11 | 14 | 25 | 4 | 8 | 12 | 3 | 8 | 11 | 120 | 85 | 115 | 94 | 102 | 130 | |
| Order 5. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | | | | 2 | 2 | | | | | | | | | | | | | | | | | 2 | | 3 | 5 | 2 | | | | |
| 2. Ischuria | | | | 5 | 5 | 3 | 3 | | | | | | | | | 1 | 1 | | | | | 2 | 2 | 1 | 1 | 2 | | | | |
| 3. Nephria | | | | 1 | 1 | | | | | | | | | | | 2 | 2 | | | | | 10 | 8 | 2 | 4 | 3 | | | | |
| 4. Diabetes | | | | | | | | | | | | | | | | | | | | | 2 | | 1 | 1 | 1 | | | | | |
| 5. Stone | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1 | 1 | | | | | |
| 6. Systitis..... | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 2 | 4 | 2 | 4 | | | | |
| 7. Kidney Disease, &c. | | | | 2 | 2 | | | | | | | | | | | 3 | 3 | 1 | 1 | 2 | | 1 | 1 | 9 | 6 | 8 | 12 | | | |
| | 1 | 1 | 9 | 9 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 6 | 6 | 1 | 1 | 2 | 2 | 2 | 27 | 21 | 12 | 14 | 27 | 15 | | | | | | |
| Order 6. | | | | | | | | | | | | | | | | 1 | 1 | 3 | 3 | 3 | | | | | | | | | | |
| 1. Ovarian Dropsy | | | | | | | | | | | | | | | | 1 | 1 | 3 | 3 | 3 | | | | | | | | | | |
| 2. Uterus Disease, &c. | | | | | | | | | | | | | | | | 1 | 1 | 3 | 3 | 3 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | 4 | 10 | 3 | 8 | 1 | 6 | | | | |
| Order 7. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | | | | 1 | 1 | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | |
| 2. Joint Disease, &c. | | | | 1 | 1 | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 2 | 7 | 6 | 3 | | | | |
| Order 8. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| 2. Ulcer | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| 3. Skin Disease, &c. | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | 3 | 6 | 1 | 1 | 7 | 1 | | | | |
| Total, Class III | 33 | 41 | 74 | 14 | 134 | 148 | 39 | 36 | 75 | 13 | 18 | 31 | 30 | 38 | 68 | 49 | 62 | 111 | 30 | 34 | 64 | 42 | 34 | 76 | 647 | 596 | 612 | 542 | 504 | 593 |

I—*continued.*

| | CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------------|-------|--------|---------|-------|--------|-----------|-------|--------|------------|-------|--------|--------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|------|------|------|------|------|------|
| | Gipps. | | | Bourke. | | | Brisbane. | | | Macquarie. | | | Cook. | | | Fitzroy. | | | Phillip. | | | Denison. | | | | | | | | |
| | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | | | | | | |
| Class IV.—Order 1. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 6 | 6 | 3 | 3 | 2 | 5 | 2 | 4 | 4 | 5 | 6 | 5 | 6 | 1 | 1 | 5 | 5 | 32 | 33 | 23 | 23 | 20 | 30 | 3 | | | | | | |
| 2. Cyanosis | | | | | | | | | | | | | | | | | | | 4 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| 3. Spina Bifida | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. Other Malformations..... | 1 | 1 | 4 | 1 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 7 | 13 | 13 | 16 | 16 | 7 | 7 | 3 | 3 | 9 | 5 | 5 | 2 | | | | | | |
| 5. Teething | 4 | 4 | 3 | 3 | 2 | 5 | 2 | 7 | 7 | 13 | 13 | 16 | 16 | 7 | 7 | 52 | 39 | 56 | 51 | 59 | 56 | 51 | 56 | | | | | | | |
| | 11 | 11 | 3 | 3 | 6 | 9 | 6 | 8 | 8 | 15 | 15 | 19 | 19 | 17 | 17 | 12 | 12 | 91 | 79 | 83 | 84 | 87 | 92 | | | | | | | |
| Order 2. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | 3 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| 2. Childbirth (<i>See</i> Metria) | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 8 | 5 | | | | | | |
| Order 3. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age | 2 | 2 | 5 | 5 | 2 | 2 | 3 | 3 | 8 | 8 | 11 | 11 | 4 | 4 | | | | | 35 | 46 | 33 | 33 | 37 | 33 | | | | | | |
| Order 4. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility | 7 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 18 | 18 | 29 | 29 | 22 | 22 | 21 | 21 | 21 | 120 | 122 | 123 | 126 | 81 | 98 | | | | | | | |
| Total, Class IV | 18 | 2 | 20 | 11 | 6 | 17 | 15 | 3 | 18 | 14 | 3 | 17 | 33 | 8 | 41 | 48 | 11 | 59 | 39 | 5 | 44 | 33 | 33 | 249 | 248 | 241 | 246 | 213 | 228 | |
| Class V.—Order 1.—Accident or Negligence. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions..... | 1 | 1 | 2 | 1 | 8 | 9 | 9 | | | | | | 2 | 2 | | | | | 1 | 2 | 3 | 16 | 30 | 23 | 32 | 27 | 31 | | | |
| 2. Wounds | | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | 1 | 1 | 2 | 6 | 6 | 3 | 13 | | | | | |
| 3. Burns and Scalds | 1 | 1 | 1 | 4 | 5 | 1 | 1 | | | | | | 1 | 1 | | | | | | 8 | 11 | 9 | 12 | 14 | | | | | | |
| 4. Sunstroke | | | | | | 1 | 1 | | | | | | | | | | | | | 1 | 3 | | | | | | | | | |
| 5. Poison | | | | 1 | 1 | | | | | | | | | | | | | | 1 | 1 | 2 | 2 | 2 | 1 | | | | | | |
| 6. Drowning | | | 1 | 5 | 6 | | | | 1 | 1 | | | | 3 | 3 | | | | 4 | 4 | 14 | 18 | 22 | 22 | 16 | 20 | | | | |
| 7. Suffocation | | | | | 1 | 2 | 2 | | | | | | 1 | 1 | | | | 1 | 1 | 5 | 2 | 2 | 4 | 2 | 1 | | | | | |
| 8. Otherwise | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | 1 | 3 | 3 | 19 | 22 | 2 | 1 | 3 | 2 | 1 | 3 | 3 | 3 | 1 | 3 | 4 | | 2 | 7 | 9 | 47 | 62 | 69 | 75 | 62 | 80 | | | |
| Order 2.—Violent Deaths in Battle. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. Sword and Bayonet Wounds | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. Otherwise | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Order 3.—Homicide. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Murder and Manslaughter..... | | | | 3 | 3 | 1 | 1 | | | | | | | | | | | 1 | 1 | 1 | 1 | | 6 | 1 | 1 | 3 | 3 | | | |
| Order 4.—Suicide. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot | | | | 2 | 2 | | | | | | | | 1 | 1 | | | | | 1 | 1 | 2 | 4 | 1 | 1 | 4 | 3 | | | | |
| Cut, Stab, &c. | | | | | | | | | | | | | | | | | | | 1 | 1 | 3 | 2 | 3 | 1 | 7 | | | | | |
| 2. Poison | | | | 1 | 1 | | | | | | | | 1 | 1 | | | | | | 1 | 1 | | | | | | | | | |
| 3. Drowning | | | | 1 | 1 | | | | | | | | | | | | | | | 1 | | | | | | | | | | |
| 4. Hanging | | | | 1 | 1 | | | | | | | | | | | | | | 1 | | | 1 | | 1 | | 2 | | | | |
| 5. Otherwise | | | | 1 | 1 | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| | 6 | 6 | | | | | | | | 1 | 1 | 1 | 1 | | | | | | 2 | 2 | 10 | 4 | 3 | 6 | 5 | 15 | | | | |
| Order 5.—Execution. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 3 | 1 | 1 | | | | |
| Violent Deaths (not classed) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total, Class V | 2 | 1 | 3 | 3 | 28 | 31 | 2 | 2 | 4 | 2 | 2 | 4 | 4 | 4 | 4 | 1 | 4 | 5 | 1 | 1 | 2 | 9 | 11 | 63 | 68 | 76 | 87 | 67 | 99 | |
| Sudden Deaths (cause unascertained) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Causes not specified, or ill-defined | | | | 2 | 2 | 6 | 6 | 1 | 1 | | | | | | | 1 | 2 | 3 | 12 | 12 | 1 | 1 | 25 | 60 | 54 | 56 | 58 | 48 | | |
| Total | 2 | 2 | 6 | 6 | 1 | 1 | | | | | | | | | | 1 | 2 | 3 | 12 | 12 | 1 | 1 | 25 | 60 | 54 | 56 | 58 | 48 | | |
| Grand Total..... | 86 | 74 | 160 | 41 | 260 | 301 | 82 | 66 | 148 | 42 | 34 | 76 | 107 | 87 | 194 | 154 | 128 | 282 | 98 | 82 | 180 | 102 | 68 | 170 | 1511 | 1599 | 2151 | 1602 | 1422 | 1729 |

Total Deaths from each Cause, in Sydney, 1869
 Total Deaths from each Cause, in Sydney, 1868
 Total Deaths from each Cause, in Sydney, 1867
 Total Deaths from each Cause, in Sydney, 1866
 Total Deaths from each Cause, in Sydney, 1865
 Total Deaths from each Cause, in Sydney, 1864

J.

BIRTHS and DEATHS occurring at Sea, registered in the Colony of New South Wales, from 1st January to 31st December, 1869.

| Where registered. | Births. | | | Deaths. | | |
|-------------------|---------|----------|--------|---------|----------|--------|
| | Males. | Females. | Total. | Males. | Females. | Total. |
| Sydney | 1 | | 1 | 52 | 4 | 56 |
| Newcastle | | | | 14 | | 14 |
| Total | 1 | | 1 | 66 | 4 | 70 |

K.

RETURN of the REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

| District. | Name of Registrar. | Date of Appointment. | District. | Name of Registrar. | Date of Appointment. |
|-------------------------------|-------------------------------------|----------------------|------------------------------|---------------------------------------|----------------------|
| 1. Sydney | The Registrar General..... | 10 Nov., 1864. | 36. Liverpool | William Long, Schoolmaster. | 8 June, 1866. |
| 2. Balmain | William Parker, Chemist.. | 1 July, 1861. | 37. Manning River..... | Jasper Creagh, C.P.S. | 15 May, 1856. |
| 3. Newtown | C. A. Newman | 9 April, 1857. | 38. M'Donald River .. | John Pescud, Postmaster... | 21 Feb., 1859. |
| 4. Glebe | John T. Morgan | 1 April, 1868. | 39. Macleay River | W. H. Thornton | 29 June, 1857. |
| 5. Redfern and Botany. | Christopher Warburton .. | 30 Oct., 1865. | 40. Maitland | Daniel Carter | 14 Aug., 1856. |
| 6. Paddington and Alexandria. | Henry Gale | 1 July, 1863. | 41. Moama | H. H. M'Leod | 1 Oct., 1868. |
| 7. Concord..... | John Watts, Schoolmaster | 3 Sept., 1860. | 42. Molong } | W. Finch, C.P.S. | 2 Aug., 1869. |
| 8. St. George..... | T. H. Bolger | 13 Oct., 1866. | Forbes } | J. T. Wilshire, C.P.S. | 1 July, 1869. |
| 9. St. Leonards..... | R. D. Ward, Surgeon | 28 Feb., 1856. | 43. Morpeth | John Gilfillan | 29 Dec., 1869. |
| COUNTRY DISTRICTS. | | | 44. Moulamein | Thomas Linton | 13 July, 1860. |
| 10. Albury | E. Brown, C.P.S. | 2 Aug., 1869. | 45. Mudgee | E. Ryan, C.P.S. | 2 Aug., 1869. |
| 11. Armidale | S. Blythe, C.P.S. | 2 Aug., 1869. | 46. Murrurundi | G. G. Brodie, C.P.S. | 2 Aug., 1869. |
| 12. Balranald { | J. F. Blake | 13 June, 1870. | 47. Muswellbrook and Merton. | Timothy Foley, C.P.S. | 1 Dec., 1867. |
| Balranald | R. B. Mitchell, C.P.S. | 7 Feb., 1867. | 48. Newcastle | John Burrowes, T.C. | 28 Feb., 1856. |
| Bourke | H. C. Bobart, C.P.S. | 7 June, 1869. | 49. Nundle | W. H. Porter | 13 Aug., 1867. |
| Wentworth | W. Farrand, P.M. | 16 Aug., 1869. | 50. Orange | W. T. Evans, C.P.S. | 20 Feb., 1856. |
| Menindee | James Mair, P.M. | 9 July, 1869. | 51. Parramatta | G. Langley, C.P.S. | 2 Aug., 1869. |
| 13. Bathurst | F. B. Hales, C.P.S. | 1 Sept., 1869. | 52. Paterson | B. Newbury, Surgeon | 22 Mar., 1858. |
| 14. Berrima | A. J. Powell | 11 Feb., 1870. | 53. Patrick's Plains .. | W. Dudding, C.P.S. | 2 Aug., 1869. |
| 15. Binalong } | W. J. E. Wotton, C.P.S. ... | 2 Aug., 1869. | 54. Penrith | J. K. Cleeve, C.P.S. | 2 Aug., 1869. |
| Young | J. R. Edwards, C.P.S. | 2 Aug., 1869. | 55. Picton | William R. Antill..... | 30 Mar., 1857. |
| Grenfell | W. F. Parker, C.P.S. | 17 Feb., 1870. | 56. Port Macquarie .. | James P. Ormiston, C.P.S. | 10 Nov., 1866. |
| 16. Bombala | William H. Thomas, C.P.S. | 26 Mar., 1866. | 57. Port Stephens | T. Laman, C.P.S. | 2 Aug., 1869. |
| 17. Braidwood | R. Clemenger, C.P.S. | 2 Aug., 1869. | 58. Queanbeyan | F. B. Russell, P.M. | 1 July, 1869. |
| 18. Brisbane Water .. | Thomas Cade Battley, C.P.S. | 9 July, 1856. | 59. Raymond Terrace .. | William Gloag | 28 Feb., 1856. |
| 19. Broulee | W. Stewart Caswell, P.M. | 28 Feb., 1856. | 60. Richmond | John Ducker | 5 Feb., 1862. |
| 20. Camden | John Benson Martin, C.P.S. | 14 Aug., 1856. | 61. Richmond River } | Charles Moore, C.P.S. | 12 July, 1856. |
| 21. Campbelltown | W. J. Wilshire, C.P.S. | 2 Aug., 1869. | " Tweed } | James Bray, Assistant Registrar. | 14 Oct., 1866. |
| 22. Carcoar | Edward James C. North, C.P.S. | 1 May, 1865. | 62. Ryde | George Miller Pope, C.P.S. | 30 Mar., 1857. |
| 23. Cassilis | John Morris, C.P.S. | 26 Mar., 1856. | 63. Rylstone | W. W. Armstrong, C.P.S. | 5 Mar., 1857. |
| 24. Clarencetown | David Farquhar | 30 Mar., 1857. | 64. Secone | Frederick Robertson Willshire, C.P.S. | 14 Nov., 1865. |
| 25. Cooma | A. Nordblad, C.P.S. | 1 Sept., 1869. | 65. Shoalhaven | W. Lovegrove, C.P.S. | 2 Aug., 1869. |
| 26. Deniliquin | John Archer Broughton, C.P.S. | 23 Jan., 1865. | 66. Sofala | Moritz Mendel | 1 July, 1870. |
| 27. Dubbo | Luke McGuinn, C.P.S. | 1 Aug., 1863. | 67. Tambaroora | Thomas Paten | 6 Jan., 1858. |
| Coonabarabran | Frederick W. Edwards, P.M. | 25 Nov., 1863. | 68. Tamworth | John M'Donald, C.P.S. | 9 May, 1859. |
| 28. Dungog | Henry Gordon, C.P.S. | 1 Nov., 1859. | 69. Tenterfield | George Leary, C.P.S. | 20 June, 1870. |
| 29. Eden | Christopher Dunkin Hays, C.P.S. | 3 Aug., 1865. | 70. Tumut | Henry Hilton | 15 Jan., 1870. |
| 30. Goulburn | Charles S. Alexander, C.P.S. | 31 Mar., 1862. | 71. Ulladulla | J. V. Wareham, C.P.S. | 2 Aug., 1869. |
| 31. Grafton | W. H. H. Becke, C.P.S. | 2 Aug., 1869. | 72. Wagga Wagga | E. H. Tompson, C.P.S. | 2 Aug., 1869. |
| 32. Gundagai | Archibald Scott Smith, Post master. | 20 July, 1865. | 73. Walgett | Thomas Betteridge, P.M. | 1 Jan., 1867. |
| 33. Hartley | W. P. Macdermott | 25 July, 1869. | 74. Warialda | Richard H. Fitzsimons, C.P.S. | 22 Nov., 1867. |
| 34. Inverell | J. W. A. White, C.P.S. | 13 Aug., 1867. | 75. Wee Waa | C. E. Smith, P.M. | 16 May, 1859. |
| 35. Kiama | Henry Connell, C.P.S. | 5 June, 1863. | 76. Wellington | A. O. Wyatt, C.P.S. | 1 Oct., 1869. |
| | | | 77. Windsor | Frederick Marsh, C.P.S. | 28 April, 1862. |
| | | | 78. Wollombi | G. A. Gordon, C.P.S. | 28 July, 1869. |
| | | | 79. Wollongong | Thomas S. Townsend | 31 Mar., 1862. |
| | | | 80. Yass | A. A. Turner, C.P.S. | 2 Aug., 1869. |
| | | | 81. Yass | Leopold Yates, C.P.S. | 17 June, 1870. |